

表 3892 現在施行中のPD歴(年) 原疾患別 (腹膜透析患者)

原疾患	1年未満	1年～	2年～	4年～	6年～	8年～	10年～	合計	記載なし	総計	平均	標準偏差
慢性糸球体腎炎	347	312	496	370	220	117	169	2,031	1,028	3,059	4.33	3.89
(%)	(26.8)	(29.7)	(32.8)	(42.6)	(48.8)	(54.9)	(66.3)	(36.0)	(31.2)	(34.2)		
慢性腎盂腎炎	15	12	15	9	2	5	5	63	30	93	3.58	3.58
(%)	(1.2)	(1.1)	(1.0)	(1.0)	(0.4)	(2.3)	(2.0)	(1.1)	(0.9)	(1.0)		
急速進行性糸球体腎炎	10	8	11	7	3	2	2	43	31	74	3.49	3.25
(%)	(0.8)	(0.8)	(0.7)	(0.8)	(0.7)	(0.9)	(0.8)	(0.8)	(0.9)	(0.8)		
妊娠腎/妊娠中毒症	1	6	4	6	2		5	24	8	32	6.16	5.97
(%)	(0.1)	(0.6)	(0.3)	(0.7)	(0.4)		(2.0)	(0.4)	(0.2)	(0.4)		
その他の分類不能の腎炎	13	5	16	8	6	3	5	56	29	85	4.06	3.55
(%)	(1.0)	(0.5)	(1.1)	(0.9)	(1.3)	(1.4)	(2.0)	(1.0)	(0.9)	(1.0)		
多発性嚢胞腎	33	40	47	23	10	2	3	158	85	243	2.75	2.31
(%)	(2.6)	(3.8)	(3.1)	(2.6)	(2.2)	(0.9)	(1.2)	(2.8)	(2.6)	(2.7)		
腎硬化症	180	164	197	94	37	13	9	694	389	1,083	2.60	2.48
(%)	(13.9)	(15.6)	(13.0)	(10.8)	(8.2)	(6.1)	(3.5)	(12.3)	(11.8)	(12.1)		
悪性高血圧	11	14	18	11	8	2	1	65	42	107	3.37	2.85
(%)	(0.9)	(1.3)	(1.2)	(1.3)	(1.8)	(0.9)	(0.4)	(1.2)	(1.3)	(1.2)		
糖尿病性腎症	480	351	461	210	93	45	19	1,659	1,107	2,766	2.59	2.34
(%)	(37.1)	(33.4)	(30.4)	(24.2)	(20.6)	(21.1)	(7.5)	(29.4)	(33.6)	(30.9)		
SLE腎炎	14	4	10	8	1	1	2	40	22	62	2.96	3.17
(%)	(1.1)	(0.4)	(0.7)	(0.9)	(0.2)	(0.5)	(0.8)	(0.7)	(0.7)	(0.7)		
アミロイド腎	1		2	2				5	4	9	3.03	1.96
(%)	(0.1)		(0.1)	(0.2)				(0.1)	(0.1)	(0.1)		
痛風腎	2	3	9	3	5	2		24	9	33	3.97	2.52
(%)	(0.2)	(0.3)	(0.6)	(0.3)	(1.1)	(0.9)		(0.4)	(0.3)	(0.4)		
先天性代謝異常による腎不全	4	1	2	3	1		2	13	5	18	4.16	4.35
(%)	(0.3)	(0.1)	(0.1)	(0.3)	(0.2)		(0.8)	(0.2)	(0.2)	(0.2)		
腎・尿路結核				1				1		1	5.25	
(%)				(0.1)				(0.0)		(0.0)		
腎・尿路結石	1	2	5	1				9	7	16	2.91	1.26
(%)	(0.1)	(0.2)	(0.3)	(0.1)				(0.2)	(0.2)	(0.2)		
腎・尿路腫瘍	4	2	3	1	1			11	3	14	2.24	2.13
(%)	(0.3)	(0.2)	(0.2)	(0.1)	(0.2)			(0.2)	(0.1)	(0.2)		
閉塞性尿路障害	4	1	5		1	1	1	13	9	22	3.72	4.27
(%)	(0.3)	(0.1)	(0.3)		(0.2)	(0.5)	(0.4)	(0.2)	(0.3)	(0.2)		
骨髄腫	1	1		1				3	5	8	2.17	2.13
(%)	(0.1)	(0.1)		(0.1)				(0.1)	(0.2)	(0.1)		
腎形成不全	9	7	17	10	3	1	1	48	28	76	3.26	2.96
(%)	(0.7)	(0.7)	(1.1)	(1.2)	(0.7)	(0.5)	(0.4)	(0.9)	(0.8)	(0.9)		
不明	122	85	144	71	39	12	24	497	343	840	3.19	2.93
(%)	(9.4)	(8.1)	(9.5)	(8.2)	(8.6)	(5.6)	(9.4)	(8.8)	(10.4)	(9.4)		
再導入	3	5	14	2	4	3	6	37	14	51	5.27	4.41
(%)	(0.2)	(0.5)	(0.9)	(0.2)	(0.9)	(1.4)	(2.4)	(0.7)	(0.4)	(0.6)		
その他	38	28	38	27	15	4	1	151	98	249	2.90	2.43
(%)	(2.9)	(2.7)	(2.5)	(3.1)	(3.3)	(1.9)	(0.4)	(2.7)	(3.0)	(2.8)		
合計	1,293	1,051	1,514	868	451	213	255	5,645	3,296	8,941	3.38	3.24
(%)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)		
記載なし												
総計	1,293	1,051	1,514	868	451	213	255	5,645	3,296	8,941	3.38	3.24

数値下のかつこ内は列方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査