

表 3897 現在施行中のPD歴(年) 原疾患別 (腹膜透析単独患者)

原疾患	1年未満	1年～	2年～	4年～	6年～	8年～	10年～	合計	記載なし	総計	平均	標準偏差
慢性糸球体腎炎	341	282	407	270	126	62	70	1,558	771	2,329	3.50	3.30
(%)	(27.2)	(29.7)	(32.1)	(42.2)	(46.8)	(61.4)	(64.2)	(34.0)	(29.7)	(32.4)		
慢性腎盂腎炎	15	10	14	7	2	2	2	52	27	79	2.85	2.97
(%)	(1.2)	(1.1)	(1.1)	(1.1)	(0.7)	(2.0)	(1.8)	(1.1)	(1.0)	(1.1)		
急速進行性糸球体腎炎	9	7	9	6	3	1	1	36	28	64	3.13	2.73
(%)	(0.7)	(0.7)	(0.7)	(0.9)	(1.1)	(1.0)	(0.9)	(0.8)	(1.1)	(0.9)		
妊娠腎/妊娠中毒症	1	6	3	4	2		1	17	5	22	4.68	5.55
(%)	(0.1)	(0.6)	(0.2)	(0.6)	(0.7)		(0.9)	(0.4)	(0.2)	(0.3)		
その他の分類不能の腎炎	13	4	15	6	4	1	1	44	22	66	2.95	2.46
(%)	(1.0)	(0.4)	(1.2)	(0.9)	(1.5)	(1.0)	(0.9)	(1.0)	(0.8)	(0.9)		
多発性嚢胞腎	31	39	43	18	2		1	134	72	206	2.27	1.78
(%)	(2.5)	(4.1)	(3.4)	(2.8)	(0.7)		(0.9)	(2.9)	(2.8)	(2.9)		
腎硬化症	178	155	167	75	26	7	4	612	328	940	2.29	2.05
(%)	(14.2)	(16.4)	(13.2)	(11.7)	(9.7)	(6.9)	(3.7)	(13.3)	(12.6)	(13.1)		
悪性高血圧	11	10	15	9	5	1		51	34	85	2.93	2.22
(%)	(0.9)	(1.1)	(1.2)	(1.4)	(1.9)	(1.0)		(1.1)	(1.3)	(1.2)		
糖尿病性腎症	456	304	372	153	49	16	10	1,360	875	2,235	2.22	2.05
(%)	(36.4)	(32.1)	(29.3)	(23.9)	(18.2)	(15.8)	(9.2)	(29.6)	(33.7)	(31.1)		
SLE腎炎	14	4	8	7		1	1	35	19	54	2.44	2.71
(%)	(1.1)	(0.4)	(0.6)	(1.1)		(1.0)	(0.9)	(0.8)	(0.7)	(0.8)		
アミロイド腎	1		1	2				4	3	7	2.88	2.23
(%)	(0.1)		(0.1)	(0.3)				(0.1)	(0.1)	(0.1)		
痛風腎	2	3	9	2	1	1		18	8	26	3.02	2.10
(%)	(0.2)	(0.3)	(0.7)	(0.3)	(0.4)	(1.0)		(0.4)	(0.3)	(0.4)		
先天性代謝異常による腎不全	4	1	2	2	1		2	12	5	17	4.14	4.55
(%)	(0.3)	(0.1)	(0.2)	(0.3)	(0.4)		(1.8)	(0.3)	(0.2)	(0.2)		
腎・尿路結核				1				1		1	5.25	
(%)				(0.2)				(0.0)		(0.0)		
腎・尿路結石	1	2	5					8	6	14	2.67	1.10
(%)	(0.1)	(0.2)	(0.4)					(0.2)	(0.2)	(0.2)		
腎・尿路腫瘍	4	2	2		1			9	2	11	1.99	2.28
(%)	(0.3)	(0.2)	(0.2)		(0.4)			(0.2)	(0.1)	(0.2)		
閉塞性尿路障害	4	1	5		1		1	12	7	19	3.22	4.03
(%)	(0.3)	(0.1)	(0.4)		(0.4)		(0.9)	(0.3)	(0.3)	(0.3)		
骨髄腫	1	1		1				3	4	7	2.17	2.13
(%)	(0.1)	(0.1)		(0.2)				(0.1)	(0.2)	(0.1)		
腎形成不全	9	7	16	9	3	1	1	46	26	72	3.23	3.01
(%)	(0.7)	(0.7)	(1.3)	(1.4)	(1.1)	(1.0)	(0.9)	(1.0)	(1.0)	(1.0)		
不明	118	80	131	47	28	5	13	422	267	689	2.74	2.65
(%)	(9.4)	(8.4)	(10.3)	(7.3)	(10.4)	(5.0)	(11.9)	(9.2)	(10.3)	(9.6)		
再導入	3	5	12	2	3	1	1	27	9	36	3.55	3.05
(%)	(0.2)	(0.5)	(0.9)	(0.3)	(1.1)	(1.0)	(0.9)	(0.6)	(0.3)	(0.5)		
その他	36	25	33	19	12	2		127	82	209	2.61	2.21
(%)	(2.9)	(2.6)	(2.6)	(3.0)	(4.5)	(2.0)		(2.8)	(3.2)	(2.9)		
合計	1,252	948	1,269	640	269	101	109	4,588	2,600	7,188	2.80	2.72
(%)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)		
記載なし												
総計	1,252	948	1,269	640	269	101	109	4,588	2,600	7,188	2.80	2.72

数値下のかつこ内は列方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査