

表 3911 PET施行の有無 原疾患別（腹膜透析患者）

原疾患	なし	PET施行	Fast PETのみ	合計	不明	記載なし	総計
慢性糸球体腎炎	586	844	482	1,912	41	1,106	3,059
(%)	(30.6)	(44.1)	(25.2)	(100.0)			
慢性腎盂腎炎	19	27	14	60	1	32	93
(%)	(31.7)	(45.0)	(23.3)	(100.0)			
急速進行性糸球体腎炎	13	22	8	43		31	74
(%)	(30.2)	(51.2)	(18.6)	(100.0)			
妊娠腎/妊娠中毒症	2	15	6	23	1	8	32
(%)	(8.7)	(65.2)	(26.1)	(100.0)			
その他の分類不能の腎炎	17	23	12	52	2	31	85
(%)	(32.7)	(44.2)	(23.1)	(100.0)			
多発性嚢胞腎	58	66	33	157		86	243
(%)	(36.9)	(42.0)	(21.0)	(100.0)			
腎硬化症	272	252	150	674	19	390	1,083
(%)	(40.4)	(37.4)	(22.3)	(100.0)			
悪性高血圧	21	30	14	65	1	41	107
(%)	(32.3)	(46.2)	(21.5)	(100.0)			
糖尿病性腎症	544	662	379	1,585	38	1,143	2,766
(%)	(34.3)	(41.8)	(23.9)	(100.0)			
SLE腎炎	15	15	6	36	1	25	62
(%)	(41.7)	(41.7)	(16.7)	(100.0)			
アミロイド腎	2	2	1	5		4	9
(%)	(40.0)	(40.0)	(20.0)	(100.0)			
痛風腎	10	8	6	24		9	33
(%)	(41.7)	(33.3)	(25.0)	(100.0)			
先天性代謝異常による腎不全	4	3	4	11	1	6	18
(%)	(36.4)	(27.3)	(36.4)	(100.0)			
腎・尿路結核		1		1			1
(%)		(100.0)		(100.0)			
腎・尿路結石	3	5	1	9		7	16
(%)	(33.3)	(55.6)	(11.1)	(100.0)			
腎・尿路腫瘍	3	5	2	10	1	3	14
(%)	(30.0)	(50.0)	(20.0)	(100.0)			
閉塞性尿路障害	3	8	2	13		9	22
(%)	(23.1)	(61.5)	(15.4)	(100.0)			
骨髄腫	2	1		3		5	8
(%)	(66.7)	(33.3)		(100.0)			
腎形成不全	19	18	10	47		29	76
(%)	(40.4)	(38.3)	(21.3)	(100.0)			
不明	160	205	109	474	15	351	840
(%)	(33.8)	(43.2)	(23.0)	(100.0)			
再導入	11	20	4	35	3	13	51
(%)	(31.4)	(57.1)	(11.4)	(100.0)			
その他	48	59	35	142	4	103	249
(%)	(33.8)	(41.5)	(24.6)	(100.0)			
合計	1,812	2,291	1,278	5,381	128	3,432	8,941
(%)	(33.7)	(42.6)	(23.8)	(100.0)			
記載なし							
(%)							
総計	1,812	2,291	1,278	5,381	128	3,432	8,941
(%)	(33.7)	(42.6)	(23.8)	(100.0)			

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査