

表 3957 一日透析液使用量(L/日) 原疾患別(腹膜透析単独患者)

原疾患	2未満	2～	4～	6～	8～	10～	12～	合計	記載なし	総計	平均	標準偏差
慢性糸球体腎炎	25	90	309	521	378	97	47	1,467	862	2,329	6.77	2.71
(%)	(1.7)	(6.1)	(21.1)	(35.5)	(25.8)	(6.6)	(3.2)	(100.0)				
慢性腎盂腎炎	3	7	14	19	5	4	1	53	26	79	5.71	2.54
(%)	(5.7)	(13.2)	(26.4)	(35.8)	(9.4)	(7.5)	(1.9)	(100.0)				
急速進行性糸球体腎炎	1	2	7	11	11	1	4	37	27	64	7.35	3.00
(%)	(2.7)	(5.4)	(18.9)	(29.7)	(29.7)	(2.7)	(10.8)	(100.0)				
妊娠腎/妊娠中毒症	2		4	7	3	1		17	5	22	6.09	2.62
(%)	(11.8)		(23.5)	(41.2)	(17.6)	(5.9)		(100.0)				
その他の分類不能の腎炎		4	11	10	16	2	1	44	22	66	6.81	2.33
(%)		(9.1)	(25.0)	(22.7)	(36.4)	(4.5)	(2.3)	(100.0)				
多発性嚢胞腎	6	17	37	29	30	8	3	130	76	206	6.17	2.95
(%)	(4.6)	(13.1)	(28.5)	(22.3)	(23.1)	(6.2)	(2.3)	(100.0)				
腎硬化症	12	77	154	203	114	28	7	595	345	940	6.03	2.40
(%)	(2.0)	(12.9)	(25.9)	(34.1)	(19.2)	(4.7)	(1.2)	(100.0)				
悪性高血圧	2	7	10	17	10	3		49	36	85	6.10	2.46
(%)	(4.1)	(14.3)	(20.4)	(34.7)	(20.4)	(6.1)		(100.0)				
糖尿病性腎症	31	93	292	453	320	90	39	1,318	917	2,235	6.61	2.65
(%)	(2.4)	(7.1)	(22.2)	(34.4)	(24.3)	(6.8)	(3.0)	(100.0)				
SLE腎炎		4	5	11	10	2	1	33	21	54	6.79	2.35
(%)		(12.1)	(15.2)	(33.3)	(30.3)	(6.1)	(3.0)	(100.0)				
アミロイド腎	1	1	1	1	1			4	3	7	5.65	2.06
(%)		(25.0)	(25.0)	(25.0)	(25.0)			(100.0)				
痛風腎		1	4	2	8	2		17	9	26	7.36	2.41
(%)		(5.9)	(23.5)	(11.8)	(47.1)	(11.8)		(100.0)				
先天性代謝異常による腎不全	1	1	3	4	2			11	6	17	5.24	2.02
(%)	(9.1)	(9.1)	(27.3)	(36.4)	(18.2)			(100.0)				
腎・尿路結核				1				1		1	6.00	
(%)				(100.0)				(100.0)				
腎・尿路結石			1	2	5			8	6	14	7.38	1.43
(%)			(12.5)	(25.0)	(62.5)			(100.0)				
腎・尿路腫瘍			2	3	1	1		7	4	11	6.84	2.09
(%)			(28.6)	(42.9)	(14.3)	(14.3)		(100.0)				
閉塞性尿路障害		3		3	4	1		11	8	19	6.45	2.17
(%)		(27.3)		(27.3)	(36.4)	(9.1)		(100.0)				
骨髄腫			1	1	1			3	4	7	6.50	2.29
(%)			(33.3)	(33.3)	(33.3)			(100.0)				
腎形成不全	5	7	10	4	11	3	5	45	27	72	6.71	4.53
(%)	(11.1)	(15.6)	(22.2)	(8.9)	(24.4)	(6.7)	(11.1)	(100.0)				
不明	12	37	87	139	84	26	13	398	291	689	6.39	2.69
(%)	(3.0)	(9.3)	(21.9)	(34.9)	(21.1)	(6.5)	(3.3)	(100.0)				
再導入		2	4	12	8			26	10	36	6.43	1.68
(%)		(7.7)	(15.4)	(46.2)	(30.8)			(100.0)				
その他	6	18	30	40	19	4	8	125	84	209	6.12	3.43
(%)	(4.8)	(14.4)	(24.0)	(32.0)	(15.2)	(3.2)	(6.4)	(100.0)				
合計	106	371	986	1,493	1,041	273	129	4,399	2,789	7,188	6.53	2.70
(%)	(2.4)	(8.4)	(22.4)	(33.9)	(23.7)	(6.2)	(2.9)	(100.0)				
記載なし												
(%)												
総計	106	371	986	1,493	1,041	273	129	4,399	2,789	7,188	6.53	2.70
(%)	(2.4)	(8.4)	(22.4)	(33.9)	(23.7)	(6.2)	(2.9)	(100.0)				

数値下のかつこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査