

表 4071 2014年中の腹膜炎発症率(回/1患者・年) 原疾患別(腹膜透析患者)

原疾患	0	1.0~	2.0~	3.0~	4.0~	5.0~	合計	不明記載なし	総計	平均	標準偏差
慢性糸球体腎炎	1,688	165	28	14	3	8	1,906	1,153	3,059	0.18	0.76
(%)	(88.6)	(8.7)	(1.5)	(0.7)	(0.2)	(0.4)	(100.0)				
慢性腎孟腎炎	50	7	2				59	34	93	0.19	0.47
(%)	(84.7)	(11.9)	(3.4)				(100.0)				
急速進行性糸球体腎炎	36	4	1				41	33	74	0.16	0.47
(%)	(87.8)	(9.8)	(2.4)				(100.0)				
妊娠腎/妊娠中毒症	19	4	1				24	8	32	0.25	0.53
(%)	(79.2)	(16.7)	(4.2)				(100.0)				
その他の分類不能の腎炎	49	2				2	53	32	85	0.28	1.25
(%)	(92.5)	(3.8)				(3.8)	(100.0)				
多発性囊胞腎	126	15	5	3			149	94	243	0.25	0.65
(%)	(84.6)	(10.1)	(3.4)	(2.0)			(100.0)				
腎硬化症	565	75	14	1	1	4	660	423	1,083	0.21	0.73
(%)	(85.6)	(11.4)	(2.1)	(0.2)	(0.2)	(0.6)	(100.0)				
悪性高血圧	59	6					65	42	107	0.10	0.32
(%)	(90.8)	(9.2)					(100.0)				
糖尿病性腎症	1,362	130	25	6	10	9	1,542	1,224	2,766	0.20	0.81
(%)	(88.3)	(8.4)	(1.6)	(0.4)	(0.6)	(0.6)	(100.0)				
SLE腎炎	33	1	3				37	25	62	0.20	0.61
(%)	(89.2)	(2.7)	(8.1)				(100.0)				
アミロイド腎	5						5	4	9		
(%)	(100.0)						(100.0)				
痛風腎	21	2					23	10	33	0.09	0.29
(%)	(91.3)	(8.7)					(100.0)				
先天性代謝異常にによる腎不全	11	1					12	6	18	0.08	0.29
(%)	(91.7)	(8.3)					(100.0)				
腎・尿路結核	1						1		1		
(%)	(100.0)						(100.0)				
腎・尿路結石	8			1			9	7	16	0.33	1.00
(%)	(88.9)			(11.1)			(100.0)				
腎・尿路腫瘍	5	2	1	1			9	5	14	0.79	1.10
(%)	(55.6)	(22.2)	(11.1)	(11.1)			(100.0)				
閉塞性尿路障害	8	3		1			12	10	22	0.52	0.92
(%)	(66.7)	(25.0)		(8.3)			(100.0)				
骨髄腫	2		1				3	5	8	0.67	1.15
(%)	(66.7)		(33.3)				(100.0)				
腎形成不全	42	4					46	30	76	0.09	0.28
(%)	(91.3)	(8.7)					(100.0)				
不明	412	45	13	2		1	473	367	840	0.18	0.54
(%)	(87.1)	(9.5)	(2.7)	(0.4)		(0.2)	(100.0)				
再導入	29	4			1		34	17	51	0.24	0.74
(%)	(85.3)	(11.8)			(2.9)		(100.0)				
その他	120	15	1	1		1	138	111	249	0.24	1.10
(%)	(87.0)	(10.9)	(0.7)	(0.7)		(0.7)	(100.0)				
合計	4,651	485	95	30	15	25	5,301	3,640	8,941	0.20	0.75
(%)	(87.7)	(9.1)	(1.8)	(0.6)	(0.3)	(0.5)	(100.0)				
記載なし(%)											
総計	4,651	485	95	30	15	25	5,301	3,640	8,941	0.20	0.75
(%)	(87.7)	(9.1)	(1.8)	(0.6)	(0.3)	(0.5)	(100.0)				

数値下の括弧内は行方向の合計に対する%です。

*個々の患者の腹膜炎発症率(回/1患者・年)は、1.0未満の数値が0となるため、「0」と表示しています。

(C)Japanese Society for Dialysis Therapy

2014年調査