

表 4091 2014年中の出口部感染発症率(回/1患者・年) 原疾患別(腹膜透析患者)

原疾患	0	1.0～	2.0～	3.0～	4.0～	5.0～	合計	不明 記載なし	総計	平均	標準偏差
慢性糸球体腎炎	1,536	227	63	24	18	30	1,898	1,161	3,059	0.38	1.13
(%)	(80.9)	(12.0)	(3.3)	(1.3)	(0.9)	(1.6)	(100.0)				
慢性腎盂腎炎	52	3	3		1		59	34	93	0.23	0.72
(%)	(88.1)	(5.1)	(5.1)		(1.7)		(100.0)				
急速進行性糸球 体腎炎	30	7	2	1			40	34	74	0.38	0.75
(%)	(75.0)	(17.5)	(5.0)	(2.5)			(100.0)				
妊娠腎/妊娠中毒 症	21	3					24	8	32	0.13	0.34
(%)	(87.5)	(12.5)					(100.0)				
その他の分類不能 の腎炎	41	5	4	1		2	53	32	85	0.50	1.16
(%)	(77.4)	(9.4)	(7.5)	(1.9)		(3.8)	(100.0)				
多発性嚢胞腎	113	23	7	2	2	2	149	94	243	0.47	1.14
(%)	(75.8)	(15.4)	(4.7)	(1.3)	(1.3)	(1.3)	(100.0)				
腎硬化症	539	84	15	8	1	12	659	424	1,083	0.37	1.26
(%)	(81.8)	(12.7)	(2.3)	(1.2)	(0.2)	(1.8)	(100.0)				
悪性高血圧	56	6	1	1		1	65	42	107	0.28	0.91
(%)	(86.2)	(9.2)	(1.5)	(1.5)		(1.5)	(100.0)				
糖尿病性腎症	1,222	173	65	26	21	32	1,539	1,227	2,766	0.46	1.29
(%)	(79.4)	(11.2)	(4.2)	(1.7)	(1.4)	(2.1)	(100.0)				
SLE腎炎	31	5					36	26	62	0.16	0.42
(%)	(86.1)	(13.9)					(100.0)				
アミロイド腎	4		1				5	4	9	0.40	0.89
(%)	(80.0)		(20.0)				(100.0)				
痛風腎	18	5					23	10	33	0.22	0.42
(%)	(78.3)	(21.7)					(100.0)				
先天性代謝異常に よる腎不全	10		2				12	6	18	0.33	0.78
(%)	(83.3)		(16.7)				(100.0)				
腎・尿路結核	1						1		1		
(%)	(100.0)						(100.0)				
腎・尿路結石	6	3					9	7	16	0.37	0.56
(%)	(66.7)	(33.3)					(100.0)				
腎・尿路腫瘍	8					1	9	5	14	0.67	2.00
(%)	(88.9)					(11.1)	(100.0)				
閉塞性尿路障害	11		1				12	10	22	0.17	0.58
(%)	(91.7)		(8.3)				(100.0)				
骨髄腫	2			1			3	5	8	1.00	1.73
(%)	(66.7)			(33.3)			(100.0)				
腎形成不全	35	11					46	30	76	0.24	0.43
(%)	(76.1)	(23.9)					(100.0)				
不明	381	51	24	5	2	6	469	371	840	0.36	1.01
(%)	(81.2)	(10.9)	(5.1)	(1.1)	(0.4)	(1.3)	(100.0)				
再導入	30	2	1	1			34	17	51	0.21	0.64
(%)	(88.2)	(5.9)	(2.9)	(2.9)			(100.0)				
その他	113	12	3	2	3	3	136	113	249	0.46	1.52
(%)	(83.1)	(8.8)	(2.2)	(1.5)	(2.2)	(2.2)	(100.0)				
合計	4,260	620	192	72	48	89	5,281	3,660	8,941	0.40	1.18
(%)	(80.7)	(11.7)	(3.6)	(1.4)	(0.9)	(1.7)	(100.0)				
記載なし											
(%)											
総計	4,260	620	192	72	48	89	5,281	3,660	8,941	0.40	1.18
(%)	(80.7)	(11.7)	(3.6)	(1.4)	(0.9)	(1.7)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

個々の患者の出口部感染発症率(回/1患者・年)は、1.0未満の数値が0となるため、「0」と表示しています。

(C)Japanese Society for Dialysis Therapy

2014年調査