

表 4126 PET Cr D/P比 BUN(mg/dL)別 (腹膜透析患者)

BUN	0.5未満	0.5～	0.65～	0.81～	合計	記載なし	総計	平均	標準偏差
20未満	2	3	3		8	21	29	0.60	0.10
(%)	(25.0)	(37.5)	(37.5)		(100.0)				
20～	12	18	31	17	78	105	183	0.67	0.17
(%)	(15.4)	(23.1)	(39.7)	(21.8)	(100.0)				
30～	18	107	133	35	293	379	672	0.66	0.12
(%)	(6.1)	(36.5)	(45.4)	(11.9)	(100.0)				
40～	60	250	253	89	652	740	1,392	0.66	0.13
(%)	(9.2)	(38.3)	(38.8)	(13.7)	(100.0)				
50～	78	268	307	107	760	853	1,613	0.66	0.14
(%)	(10.3)	(35.3)	(40.4)	(14.1)	(100.0)				
60～	60	199	224	63	546	604	1,150	0.65	0.14
(%)	(11.0)	(36.4)	(41.0)	(11.5)	(100.0)				
70～	29	98	100	49	276	273	549	0.66	0.15
(%)	(10.5)	(35.5)	(36.2)	(17.8)	(100.0)				
80～	8	38	50	9	105	140	245	0.66	0.12
(%)	(7.6)	(36.2)	(47.6)	(8.6)	(100.0)				
90～	2	7	12	7	28	61	89	0.70	0.14
(%)	(7.1)	(25.0)	(42.9)	(25.0)	(100.0)				
100～		3	5	5	13	27	40	0.75	0.11
(%)		(23.1)	(38.5)	(38.5)	(100.0)				
110～			2		2	5	7	0.67	0.01
(%)			(100.0)		(100.0)				
120～						7	7		
(%)									
合計	269	991	1,120	381	2,761	3,215	5,976	0.66	0.14
(%)	(9.7)	(35.9)	(40.6)	(13.8)	(100.0)				
記載なし	43	147	120	27	337	2,628	2,965	0.62	0.16
(%)	(12.8)	(43.6)	(35.6)	(8.0)	(100.0)				
総計	312	1,138	1,240	408	3,098	5,843	8,941	0.65	0.14
(%)	(10.1)	(36.7)	(40.0)	(13.2)	(100.0)				
平均	55.01	54.88	54.73	55.16	54.87	54.93	54.90		
標準偏差	13.86	13.95	14.87	15.77	14.57	16.83	15.82		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査