

表 4129 PET Cr D/P比 CRP濃度(mg/dL)別（腹膜透析患者）

CRP濃度	0.5未満	0.5～	0.65～	0.81～	合計	記載なし	総計	平均	標準偏差
0.2未満	146	538	584	204	1,472	1,595	3,067	0.66	0.14
(%)	(9.9)	(36.5)	(39.7)	(13.9)	(100.0)				
0.2～	52	174	193	63	482	513	995	0.65	0.14
(%)	(10.8)	(36.1)	(40.0)	(13.1)	(100.0)				
0.5～	13	67	73	21	174	275	449	0.65	0.13
(%)	(7.5)	(38.5)	(42.0)	(12.1)	(100.0)				
1.0～	10	43	54	20	127	181	308	0.67	0.14
(%)	(7.9)	(33.9)	(42.5)	(15.7)	(100.0)				
2.0～	8	25	37	10	80	122	202	0.67	0.13
(%)	(10.0)	(31.3)	(46.3)	(12.5)	(100.0)				
4.0～	4	12	11	6	33	50	83	0.67	0.14
(%)	(12.1)	(36.4)	(33.3)	(18.2)	(100.0)				
6.0～	1	3	6	6	16	24	40	0.74	0.15
(%)	(6.3)	(18.8)	(37.5)	(37.5)	(100.0)				
8.0～		3		1	4	20	24	0.66	0.18
(%)		(75.0)		(25.0)	(100.0)				
10.0～	2	7	6	5	20	14	34	0.65	0.21
(%)	(10.0)	(35.0)	(30.0)	(25.0)	(100.0)				
15.0～		1	2		3	4	7	0.66	0.02
(%)		(33.3)	(66.7)		(100.0)				
合計	236	873	966	336	2,411	2,798	5,209	0.66	0.14
(%)	(9.8)	(36.2)	(40.1)	(13.9)	(100.0)				
記載なし	76	265	274	72	687	3,045	3,732	0.64	0.15
(%)	(11.1)	(38.6)	(39.9)	(10.5)	(100.0)				
総計	312	1,138	1,240	408	3,098	5,843	8,941	0.65	0.14
(%)	(10.1)	(36.7)	(40.0)	(13.2)	(100.0)				
平均	0.50	0.54	0.57	0.71	0.57	0.68	0.63		
標準偏差	1.41	1.58	1.78	1.79	1.68	1.74	1.71		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査