

表 4133 PET Cr D/P比 PTH値(pg/mL)別（腹膜透析患者）PTH測定法:whole-PTH

PTH値	0.5未満	0.5～	0.65～	0.81～	合計	記載なし	総計	平均	標準偏差
20未満	1	9	10	4	24	16	40	0.67	0.11
(%)	(4.2)	(37.5)	(41.7)	(16.7)	(100.0)				
20～	2	17	10	8	37	8	45	0.68	0.15
(%)	(5.4)	(45.9)	(27.0)	(21.6)	(100.0)				
35～	3	12	16	2	33	22	55	0.66	0.12
(%)	(9.1)	(36.4)	(48.5)	(6.1)	(100.0)				
50～	5	16	22	11	54	23	77	0.67	0.14
(%)	(9.3)	(29.6)	(40.7)	(20.4)	(100.0)				
75～	6	17	17	8	48	21	69	0.65	0.14
(%)	(12.5)	(35.4)	(35.4)	(16.7)	(100.0)				
100～	8	24	11	10	53	18	71	0.63	0.17
(%)	(15.1)	(45.3)	(20.8)	(18.9)	(100.0)				
125～		15	11	6	32	13	45	0.68	0.12
(%)		(46.9)	(34.4)	(18.8)	(100.0)				
150～		1			1		1	0.56	
(%)		(100.0)			(100.0)				
151～	2	13	11	3	29	14	43	0.65	0.13
(%)	(6.9)	(44.8)	(37.9)	(10.3)	(100.0)				
180～	2	8	8	1	19	15	34	0.63	0.11
(%)	(10.5)	(42.1)	(42.1)	(5.3)	(100.0)				
210～	2	8	9	2	21	6	27	0.65	0.12
(%)	(9.5)	(38.1)	(42.9)	(9.5)	(100.0)				
240～		5	6		11	12	23	0.66	0.09
(%)		(45.5)	(54.5)		(100.0)				
300～	2	3	3	1	9	10	19	0.62	0.16
(%)	(22.2)	(33.3)	(33.3)	(11.1)	(100.0)				
350～		2	2	1	5	3	8	0.69	0.08
(%)		(40.0)	(40.0)	(20.0)	(100.0)				
400～	1	3	1		5	6	11	0.56	0.08
(%)	(20.0)	(60.0)	(20.0)		(100.0)				
500～		3	3		6	5	11	0.65	0.07
(%)		(50.0)	(50.0)		(100.0)				
合計	34	156	140	57	387	192	579	0.66	0.13
(%)	(8.8)	(40.3)	(36.2)	(14.7)	(100.0)				
記載なし	17	43	33	3	96	44	140	0.60	0.12
(%)	(17.7)	(44.8)	(34.4)	(3.1)	(100.0)				
総計	51	199	173	60	483	236	719	0.65	0.13
(%)	(10.6)	(41.2)	(35.8)	(12.4)	(100.0)				
平均	124.03	128.62	125.36	93.88	121.92	153.99	132.56		
標準偏差	99.63	114.99	111.87	69.81	107.29	163.44	129.39		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査