

表 4152 PET Cr D/P比 PD Kt/V別（腹膜透析患者）

PD Kt/V	0.5未満	0.5～	0.65～	0.81～	合計	記載なし	総計	平均	標準偏差
0.1未満	3	3	4	1	11	8	19	0.46	0.31
(%)	(27.3)	(27.3)	(36.4)	(9.1)	(100.0)				
0.1～	16	67	52	18	153	10	163	0.64	0.13
(%)	(10.5)	(43.8)	(34.0)	(11.8)	(100.0)				
0.4～	40	112	83	19	254	15	269	0.62	0.13
(%)	(15.7)	(44.1)	(32.7)	(7.5)	(100.0)				
0.8～	56	152	170	78	456	42	498	0.66	0.16
(%)	(12.3)	(33.3)	(37.3)	(17.1)	(100.0)				
1.2～	44	293	344	112	793	73	866	0.67	0.12
(%)	(5.5)	(36.9)	(43.4)	(14.1)	(100.0)				
1.7～	28	110	104	42	284	32	316	0.65	0.14
(%)	(9.9)	(38.7)	(36.6)	(14.8)	(100.0)				
2.0～	19	58	58	9	144	19	163	0.63	0.13
(%)	(13.2)	(40.3)	(40.3)	(6.3)	(100.0)				
2.4～	6	24	33	8	71	20	91	0.66	0.14
(%)	(8.5)	(33.8)	(46.5)	(11.3)	(100.0)				
合計	212	819	848	287	2,166	219	2,385	0.65	0.14
(%)	(9.8)	(37.8)	(39.2)	(13.3)	(100.0)				
記載なし	100	319	392	121	932	5,624	6,556	0.65	0.14
(%)	(10.7)	(34.2)	(42.1)	(13.0)	(100.0)				
総計	312	1,138	1,240	408	3,098	5,843	8,941	0.65	0.14
(%)	(10.1)	(36.7)	(40.0)	(13.2)	(100.0)				
平均	1.18	1.27	1.31	1.32	1.28	1.48	1.30		
標準偏差	0.70	0.73	0.70	0.78	0.72	1.07	0.76		

数値下のカッコ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査