

表 4153 PET Cr D/P比 腹膜炎罹患回数(回/年)別 (腹膜透析患者)

腹膜炎罹患回数	0.5未満	0.5～	0.65～	0.81～	合計	記載なし	総計	平均	標準偏差
なし	284	973	1,068	347	2,672	1,979	4,651	0.65	0.14
(%)	(10.6)	(36.4)	(40.0)	(13.0)	(100.0)				
1回	15	97	123	44	279	248	527	0.68	0.13
(%)	(5.4)	(34.8)	(44.1)	(15.8)	(100.0)				
2回	3	19	21	4	47	35	82	0.67	0.10
(%)	(6.4)	(40.4)	(44.7)	(8.5)	(100.0)				
3回	1	8	2	1	12	15	27	0.59	0.21
(%)	(8.3)	(66.7)	(16.7)	(8.3)	(100.0)				
4回		2	1	1	4	3	7	0.71	0.12
(%)		(50.0)	(25.0)	(25.0)	(100.0)				
5回		2			2	2	4	0.61	0.04
(%)		(100.0)			(100.0)				
6回						1	1		
(%)									
7回									
(%)									
8回				1	1		1	0.98	
(%)				(100.0)	(100.0)				
9回以上				1	1		1	0.89	
(%)				(100.0)	(100.0)				
合計	303	1,101	1,215	399	3,018	2,283	5,301	0.66	0.14
(%)	(10.0)	(36.5)	(40.3)	(13.2)	(100.0)				
不明	6	24	12	3	45	34	79	0.61	0.12
(%)	(13.3)	(53.3)	(26.7)	(6.7)	(100.0)				
記載なし	3	13	13	6	35	3,526	3,561	0.66	0.12
(%)	(8.6)	(37.1)	(37.1)	(17.1)	(100.0)				
総計	312	1,138	1,240	408	3,098	5,843	8,941	0.65	0.14
(%)	(10.1)	(36.7)	(40.0)	(13.2)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査