

表 4245 残腎Kt/V 腹膜炎罹患回数(回/年)別(腹膜透析患者)

腹膜炎罹患回数	0.1未満	0.1～	0.4～	0.8～	1.2～	1.7～	2.0～	2.4～	合計	記載なし	総計	平均	標準偏差
なし	452	406	437	299	161	42	30	25	1,852	2,799	4,651	0.57	0.66
(%)	(24.4)	(21.9)	(23.6)	(16.1)	(8.7)	(2.3)	(1.6)	(1.3)	(100.0)				
1回	44	39	44	30	17	8	4	3	189	338	527	0.60	0.65
(%)	(23.3)	(20.6)	(23.3)	(15.9)	(9.0)	(4.2)	(2.1)	(1.6)	(100.0)				
2回	6	5	8	3	3	1	2		28	54	82	0.68	0.69
(%)	(21.4)	(17.9)	(28.6)	(10.7)	(10.7)	(3.6)	(7.1)		(100.0)				
3回			1	2			1	1	5	22	27	1.50	1.27
(%)			(20.0)	(40.0)			(20.0)	(20.0)	(100.0)				
4回		1	1	1	1		1		5	2	7	1.00	0.74
(%)		(20.0)	(20.0)	(20.0)	(20.0)		(20.0)		(100.0)				
5回	1			1	1				3	1	4	0.70	0.66
(%)	(33.3)			(33.3)	(33.3)				(100.0)				
6回										1	1		
(%)													
7回													
(%)													
8回										1	1		
(%)													
9回以上										1	1		
(%)													
合計	503	451	491	336	183	51	38	29	2,082	3,219	5,301	0.58	0.66
(%)	(24.2)	(21.7)	(23.6)	(16.1)	(8.8)	(2.4)	(1.8)	(1.4)	(100.0)				
不明	2	11	12	7	8	4	1		45	34	79	0.76	0.55
(%)	(4.4)	(24.4)	(26.7)	(15.6)	(17.8)	(8.9)	(2.2)		(100.0)				
記載なし	5	7	6	6	4	1			29	3,532	3,561	0.59	0.49
(%)	(17.2)	(24.1)	(20.7)	(20.7)	(13.8)	(3.4)			(100.0)				
総計	510	469	509	349	195	56	39	29	2,156	6,785	8,941	0.58	0.66
(%)	(23.7)	(21.8)	(23.6)	(16.2)	(9.0)	(2.6)	(1.8)	(1.3)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査