

表 4251 残腎Kt/V 透析歴(年)別（腹膜透析単独患者）

透析歴	0.1未満	0.1～	0.4～	0.8～	1.2～	1.7～	2.0～	2.4～	合計	記載なし	総計	平均	標準偏差
2年未満	34	114	247	211	118	31	22	6	783	2,579	3,362	0.82	0.54
(%)	(4.3)	(14.6)	(31.5)	(26.9)	(15.1)	(4.0)	(2.8)	(0.8)	(100.0)				
2年～	101	205	188	98	50	16	11	14	683	1,899	2,582	0.61	0.77
(%)	(14.8)	(30.0)	(27.5)	(14.3)	(7.3)	(2.3)	(1.6)	(2.0)	(100.0)				
5年～	91	72	48	22	13	3	3	4	256	745	1,001	0.39	0.57
(%)	(35.5)	(28.1)	(18.8)	(8.6)	(5.1)	(1.2)	(1.2)	(1.6)	(100.0)				
10年～	24	4	3	3			1	2	37	134	171	0.40	0.91
(%)	(64.9)	(10.8)	(8.1)	(8.1)			(2.7)	(5.4)	(100.0)				
15年～	4								4	41	45		
(%)	(100.0)								(100.0)				
20年～	3								3	8	11		
(%)	(100.0)								(100.0)				
25年～	2								2	2	4		
(%)	(100.0)								(100.0)				
30年～										6	6		
(%)													
35年～										2	2		
(%)													
40年～													
(%)													
合計	259	395	486	334	181	50	37	26	1,768	5,416	7,184	0.66	0.67
(%)	(14.6)	(22.3)	(27.5)	(18.9)	(10.2)	(2.8)	(2.1)	(1.5)	(100.0)				
不明										4	4		
(%)													
記載なし													
(%)													
総計	259	395	486	334	181	50	37	26	1,768	5,420	7,188	0.66	0.67
(%)	(14.6)	(22.3)	(27.5)	(18.9)	(10.2)	(2.8)	(2.1)	(1.5)	(100.0)				
平均	5.37	2.77	1.96	1.51	1.41	1.38	1.70	3.04	2.50	2.53	2.52		
標準偏差	4.32	2.13	1.97	1.92	1.66	1.74	2.09	2.65	2.78	3.22	3.11		

数値下のカッコ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査