

表 4266 残腎Kt/V 腹膜炎罹患回数(回/年)別(腹膜透析単独患者)

腹膜炎罹患回数	0.1未満	0.1～	0.4～	0.8～	1.2～	1.7～	2.0～	2.4～	合計	記載なし	総計	平均	標準偏差
なし	223	345	420	286	150	36	28	23	1,511	2,247	3,758	0.65	0.67
(%)	(14.8)	(22.8)	(27.8)	(18.9)	(9.9)	(2.4)	(1.9)	(1.5)	(100.0)				
1回	28	35	41	29	16	8	4	3	164	276	440	0.67	0.66
(%)	(17.1)	(21.3)	(25.0)	(17.7)	(9.8)	(4.9)	(2.4)	(1.8)	(100.0)				
2回	5	5	7	2	3	1	2		25	45	70	0.70	0.71
(%)	(20.0)	(20.0)	(28.0)	(8.0)	(12.0)	(4.0)	(8.0)		(100.0)				
3回			1	2			1		4	18	22	1.00	0.69
(%)			(25.0)	(50.0)			(25.0)		(100.0)				
4回		1	1	1			1		4	2	6	0.93	0.83
(%)		(25.0)	(25.0)	(25.0)			(25.0)		(100.0)				
5回				1	1				2	1	3	1.05	0.35
(%)				(50.0)	(50.0)				(100.0)				
6回										1	1		
(%)													
7回													
(%)													
8回										1	1		
(%)													
9回以上													
(%)													
合計	256	386	470	321	170	45	36	26	1,710	2,591	4,301	0.66	0.67
(%)	(15.0)	(22.6)	(27.5)	(18.8)	(9.9)	(2.6)	(2.1)	(1.5)	(100.0)				
不明		3	10	7	7	4	1		32	28	60	0.97	0.50
(%)		(9.4)	(31.3)	(21.9)	(21.9)	(12.5)	(3.1)		(100.0)				
記載なし	3	6	6	6	4	1			26	2,801	2,827	0.64	0.48
(%)	(11.5)	(23.1)	(23.1)	(23.1)	(15.4)	(3.8)			(100.0)				
総計	259	395	486	334	181	50	37	26	1,768	5,420	7,188	0.66	0.67
(%)	(14.6)	(22.3)	(27.5)	(18.9)	(10.2)	(2.8)	(2.1)	(1.5)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査