

表 4267 残腎Kt/V 出口部感染罹患回数(回/年)別（腹膜透析単独患者）

出口部感染 罹患回数	0.1未満	0.1～	0.4～	0.8～	1.2～	1.7～	2.0～	2.4～	合計	記載なし	総計	平均	標準偏差
なし	209	294	353	261	124	34	18	23	1,316	2,149	3,465	0.65	0.67
(%)	(15.9)	(22.3)	(26.8)	(19.8)	(9.4)	(2.6)	(1.4)	(1.7)	(100.0)				
1回	32	61	77	38	34	8	13	3	266	299	565	0.71	0.72
(%)	(12.0)	(22.9)	(28.9)	(14.3)	(12.8)	(3.0)	(4.9)	(1.1)	(100.0)				
2回	9	19	22	14	5	1			70	80	150	0.55	0.43
(%)	(12.9)	(27.1)	(31.4)	(20.0)	(7.1)	(1.4)			(100.0)				
3回	3	4	7	5	4	1	2		26	19	45	0.79	0.63
(%)	(11.5)	(15.4)	(26.9)	(19.2)	(15.4)	(3.8)	(7.7)		(100.0)				
4回	1	4	7	1	1	1	2		17	7	24	0.73	0.68
(%)	(5.9)	(23.5)	(41.2)	(5.9)	(5.9)	(5.9)	(11.8)		(100.0)				
5回	1		2		1				4	9	13	0.73	0.66
(%)	(25.0)		(50.0)		(25.0)				(100.0)				
6回		1		1	1		1		4	8	12	1.10	0.84
(%)		(25.0)		(25.0)	(25.0)		(25.0)		(100.0)				
7回													
(%)													
8回										1	1		
(%)													
9回以上		2	2	1					5	9	14	0.48	0.38
(%)		(40.0)	(40.0)	(20.0)					(100.0)				
合計	255	385	470	321	170	45	36	26	1,708	2,581	4,289	0.66	0.67
(%)	(14.9)	(22.5)	(27.5)	(18.8)	(10.0)	(2.6)	(2.1)	(1.5)	(100.0)				
不明		3	10	7	7	4	1		32	29	61	0.97	0.50
(%)		(9.4)	(31.3)	(21.9)	(21.9)	(12.5)	(3.1)		(100.0)				
記載なし	4	7	6	6	4	1			28	2,810	2,838	0.60	0.49
(%)	(14.3)	(25.0)	(21.4)	(21.4)	(14.3)	(3.6)			(100.0)				
総計	259	395	486	334	181	50	37	26	1,768	5,420	7,188	0.66	0.67
(%)	(14.6)	(22.3)	(27.5)	(18.9)	(10.2)	(2.8)	(2.1)	(1.5)	(100.0)				

数値下のカッコ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査