

表 4273 残腎Kt/V 透析歴(年)別 (PD・HD(F)等併用患者)

透析歴	0.1未満	0.1～	0.4～	0.8～	1.2～	1.7～	2.0～	2.4～	合計	記載なし	総計	平均	標準偏差
2年未満	15	16	9	2	1	1		2	46	190	236	0.39	0.68
(%)	(32.6)	(34.8)	(19.6)	(4.3)	(2.2)	(2.2)		(4.3)	(100.0)				
2年～	80	37	12	6	10	3	1	1	150	468	618	0.28	0.52
(%)	(53.3)	(24.7)	(8.0)	(4.0)	(6.7)	(2.0)	(0.7)	(0.7)	(100.0)				
5年～	107	18	2	6	3	2			138	518	656	0.13	0.36
(%)	(77.5)	(13.0)	(1.4)	(4.3)	(2.2)	(1.4)			(100.0)				
10年～	32	2					1		35	133	168	0.07	0.39
(%)	(91.4)	(5.7)					(2.9)		(100.0)				
15年～	9	1		1					11	40	51	0.11	0.28
(%)	(81.8)	(9.1)		(9.1)					(100.0)				
20年～	3								3	6	9		
(%)	(100.0)								(100.0)				
25年～	1								1	3	4		
(%)	(100.0)								(100.0)				
30年～	2								2	2	4		
(%)	(100.0)								(100.0)				
35年～										1	1		
(%)													
40年～													
(%)													
合計	249	74	23	15	14	6	2	3	386	1,361	1,747	0.21	0.48
(%)	(64.5)	(19.2)	(6.0)	(3.9)	(3.6)	(1.6)	(0.5)	(0.8)	(100.0)				
不明										1	1		
(%)													
記載なし													
(%)													
総計	249	74	23	15	14	6	2	3	386	1,362	1,748	0.21	0.48
(%)	(64.5)	(19.2)	(6.0)	(3.9)	(3.6)	(1.6)	(0.5)	(0.8)	(100.0)				
平均	6.50	3.57	2.52	4.47	3.36	4.17	8.50	2.00	5.45	5.45	5.45		
標準偏差	4.74	2.95	1.88	3.58	1.69	3.13	7.78	1.73	4.41	4.20	4.25		

数値下のカッコ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査