

表 4335 PD Kt/V 出口部感染罹患回数(回/年)別(腹膜透析患者)

出口部感染 罹患回数	0.1未満	0.1～	0.4～	0.8～	1.2～	1.7～	2.0～	2.4～	合計	記載なし	総計	平均	標準偏差
なし	16	88	183	359	648	267	130	79	1,770	2,490	4,260	1.36	0.80
(%)	(0.9)	(5.0)	(10.3)	(20.3)	(36.6)	(15.1)	(7.3)	(4.5)	(100.0)				
1回	3	60	51	75	117	28	19	9	362	334	696	1.08	0.62
(%)	(0.8)	(16.6)	(14.1)	(20.7)	(32.3)	(7.7)	(5.2)	(2.5)	(100.0)				
2回		3	6	23	41	11	7	2	93	90	183	1.31	0.50
(%)		(3.2)	(6.5)	(24.7)	(44.1)	(11.8)	(7.5)	(2.2)	(100.0)				
3回		1	6	8	17	2	3	1	38	20	58	1.35	0.94
(%)		(2.6)	(15.8)	(21.1)	(44.7)	(5.3)	(7.9)	(2.6)	(100.0)				
4回		4	3	5	6				18	11	29	0.86	0.48
(%)		(22.2)	(16.7)	(27.8)	(33.3)				(100.0)				
5回			3		4	1	1		9	12	21	1.23	0.50
(%)			(33.3)		(44.4)	(11.1)	(11.1)		(100.0)				
6回				2	3	1			6	9	15	1.32	0.30
(%)				(33.3)	(50.0)	(16.7)			(100.0)				
7回													
(%)													
8回					1				1	2	3	1.40	
(%)					(100.0)				(100.0)				
9回以上		2		2	4				8	8	16	1.00	0.52
(%)		(25.0)		(25.0)	(50.0)				(100.0)				
合計	19	158	252	474	841	310	160	91	2,305	2,976	5,281	1.31	0.77
(%)	(0.8)	(6.9)	(10.9)	(20.6)	(36.5)	(13.4)	(6.9)	(3.9)	(100.0)				
不明			15	15	14	2			46	35	81	1.02	0.35
(%)			(32.6)	(32.6)	(30.4)	(4.3)			(100.0)				
記載なし		5	2	9	11	4	3		34	3,545	3,579	1.16	0.58
(%)		(14.7)	(5.9)	(26.5)	(32.4)	(11.8)	(8.8)		(100.0)				
総計	19	163	269	498	866	316	163	91	2,385	6,556	8,941	1.30	0.76
(%)	(0.8)	(6.8)	(11.3)	(20.9)	(36.3)	(13.2)	(6.8)	(3.8)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査