

表 4374 PD Kt/V 腹膜炎罹患回数(回/年)別 (PD・HD(F)等併用患者)

腹膜炎罹患回数	0.1未満	0.1～	0.4～	0.8～	1.2～	1.7～	2.0～	2.4～	合計	記載なし	総計	平均	標準偏差
なし	8	39	35	61	149	57	22	9	380	510	890	1.26	0.74
(%)	(2.1)	(10.3)	(9.2)	(16.1)	(39.2)	(15.0)	(5.8)	(2.4)	(100.0)				
1回	1	7	4	2	12	7	1	1	35	52	87	1.11	0.64
(%)	(2.9)	(20.0)	(11.4)	(5.7)	(34.3)	(20.0)	(2.9)	(2.9)	(100.0)				
2回		1	2		2				5	7	12	0.76	0.50
(%)		(20.0)	(40.0)		(40.0)				(100.0)				
3回				1	1			1	3	2	5	2.57	2.54
(%)				(33.3)	(33.3)			(33.3)	(100.0)				
4回					1				1		1	1.30	
(%)					(100.0)				(100.0)				
5回					1				1		1	1.30	
(%)					(100.0)				(100.0)				
6回													
(%)													
7回													
(%)													
8回													
(%)													
9回以上										1	1		
(%)													
合計	9	47	41	64	166	64	23	11	425	572	997	1.25	0.75
(%)	(2.1)	(11.1)	(9.6)	(15.1)	(39.1)	(15.1)	(5.4)	(2.6)	(100.0)				
不明			2	5	5	1			13	6	19	1.14	0.31
(%)			(15.4)	(38.5)	(38.5)	(7.7)			(100.0)				
記載なし					1	2			3	729	732	1.60	0.26
(%)					(33.3)	(66.7)			(100.0)				
総計	9	47	43	69	172	67	23	11	441	1,307	1,748	1.25	0.74
(%)	(2.0)	(10.7)	(9.8)	(15.6)	(39.0)	(15.2)	(5.2)	(2.5)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査