

表 4375 PD Kt/V 出口部感染罹患回数(回/年)別 (PD・HD(F)等併用患者)

出口部感染 罹患回数	0.1未満	0.1～	0.4～	0.8～	1.2～	1.7～	2.0～	2.4～	合計	記載なし	総計	平均	標準偏差
なし	8	26	29	48	128	56	21	8	324	469	793	1.31	0.78
(%)	(2.5)	(8.0)	(9.0)	(14.8)	(39.5)	(17.3)	(6.5)	(2.5)	(100.0)				
1回	1	19	11	10	20	4		2	67	63	130	0.89	0.60
(%)	(1.5)	(28.4)	(16.4)	(14.9)	(29.9)	(6.0)		(3.0)	(100.0)				
2回		1		2	9	3		1	16	17	33	1.43	0.50
(%)		(6.3)		(12.5)	(56.3)	(18.8)		(6.3)	(100.0)				
3回		1	1	3	3	1	1		10	3	13	1.20	0.56
(%)		(10.0)	(10.0)	(30.0)	(30.0)	(10.0)	(10.0)		(100.0)				
4回					1				1	4	5	1.50	
(%)					(100.0)				(100.0)				
5回					2				2	6	8	1.35	0.21
(%)					(100.0)				(100.0)				
6回					1				1	2	3	1.40	
(%)					(100.0)				(100.0)				
7回													
(%)													
8回					1				1	1	2	1.40	
(%)					(100.0)				(100.0)				
9回以上				1					1	1	2	1.00	
(%)				(100.0)					(100.0)				
合計	9	47	41	64	165	64	22	11	423	566	989	1.25	0.75
(%)	(2.1)	(11.1)	(9.7)	(15.1)	(39.0)	(15.1)	(5.2)	(2.6)	(100.0)				
不明			2	5	6	1			14	6	20	1.15	0.30
(%)			(14.3)	(35.7)	(42.9)	(7.1)			(100.0)				
記載なし					1	2	1		4	735	739	1.75	0.37
(%)					(25.0)	(50.0)	(25.0)		(100.0)				
総計	9	47	43	69	172	67	23	11	441	1,307	1,748	1.25	0.74
(%)	(2.0)	(10.7)	(9.8)	(15.6)	(39.0)	(15.2)	(5.2)	(2.5)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査