

表 4391 総透析量 腎移植の回数別（腹膜透析単独患者）

腎移植の回数	0.1未満	0.1～	0.4～	0.8～	1.2～	1.7～	2.0～	2.4～	2.8～	合計	記載なし	総計	平均	標準偏差
なし	7	17	25	56	365	417	338	137	117	1,479	3,103	4,582	1.96	1.00
(%)	(0.5)	(1.1)	(1.7)	(3.8)	(24.7)	(28.2)	(22.9)	(9.3)	(7.9)	(100.0)				
1回					4	7	2		1	14	22	36	1.89	0.44
(%)					(28.6)	(50.0)	(14.3)		(7.1)	(100.0)				
2回					1					1	1	2	1.40	
(%)					(100.0)					(100.0)				
3回											1	1		
(%)														
4回以上														
(%)														
合計	7	17	25	56	370	424	340	137	118	1,494	3,127	4,621	1.96	0.99
(%)	(0.5)	(1.1)	(1.7)	(3.7)	(24.8)	(28.4)	(22.8)	(9.2)	(7.9)	(100.0)				
不明											11	11		
(%)														
記載なし	1	17	20	16	47	49	38	15	24	227	2,329	2,556	1.69	0.85
(%)	(0.4)	(7.5)	(8.8)	(7.0)	(20.7)	(21.6)	(16.7)	(6.6)	(10.6)	(100.0)				
総計	8	34	45	72	417	473	378	152	142	1,721	5,467	7,188	1.93	0.98
(%)	(0.5)	(2.0)	(2.6)	(4.2)	(24.2)	(27.5)	(22.0)	(8.8)	(8.3)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査