

表 4421 総透析量 出口部感染罹患回数(回/年)別（腹膜透析単独患者）

出口部感染 罹患回数	0.1未満	0.1～	0.4～	0.8～	1.2～	1.7～	2.0～	2.4～	2.8～	合計	記載なし	総計	平均	標準偏差
なし	7	12	30	48	313	360	286	123	106	1,285	2,180	3,465	1.97	1.03
(%)	(0.5)	(0.9)	(2.3)	(3.7)	(24.4)	(28.0)	(22.3)	(9.6)	(8.2)	(100.0)				
1回	1	18	8	17	50	68	53	16	25	256	309	565	1.81	0.90
(%)	(0.4)	(7.0)	(3.1)	(6.6)	(19.5)	(26.6)	(20.7)	(6.3)	(9.8)	(100.0)				
2回			2	1	21	23	17	3	3	70	80	150	1.80	0.43
(%)			(2.9)	(1.4)	(30.0)	(32.9)	(24.3)	(4.3)	(4.3)	(100.0)				
3回				1	7	3	8	5	1	25	20	45	1.98	0.56
(%)				(4.0)	(28.0)	(12.0)	(32.0)	(20.0)	(4.0)	(100.0)				
4回		1	2	2	6		3	2	1	17	7	24	1.55	0.81
(%)		(5.9)	(11.8)	(11.8)	(35.3)		(17.6)	(11.8)	(5.9)	(100.0)				
5回					1	2	1			4	9	13	1.83	0.38
(%)					(25.0)	(50.0)	(25.0)			(100.0)				
6回					1		1	1	1	4	8	12	2.40	0.99
(%)					(25.0)		(25.0)	(25.0)	(25.0)	(100.0)				
7回														
(%)														
8回											1	1		
(%)														
9回以上			2		1	1				4	10	14	1.05	0.58
(%)			(50.0)		(25.0)	(25.0)				(100.0)				
合計	8	31	44	69	400	457	369	150	137	1,665	2,624	4,289	1.93	0.99
(%)	(0.5)	(1.9)	(2.6)	(4.1)	(24.0)	(27.4)	(22.2)	(9.0)	(8.2)	(100.0)				
不明				1	9	12	4	2	4	32	29	61	1.93	0.53
(%)				(3.1)	(28.1)	(37.5)	(12.5)	(6.3)	(12.5)	(100.0)				
記載なし		3	1	2	8	4	5		1	24	2,814	2,838	1.52	0.69
(%)		(12.5)	(4.2)	(8.3)	(33.3)	(16.7)	(20.8)		(4.2)	(100.0)				
総計	8	34	45	72	417	473	378	152	142	1,721	5,467	7,188	1.93	0.98
(%)	(0.5)	(2.0)	(2.6)	(4.2)	(24.2)	(27.5)	(22.0)	(8.8)	(8.3)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査