

表 4425 腹膜炎罹患回数(回/年) 年齢(歳)別 (腹膜透析患者)

年齢	なし	1回	2回	3回	4回	5回	6回	7回	8回	9回以上	合計	不明	記載なし	総計
15歳未満	41	8			1						50		47	97
(%)	(82.0)	(16.0)			(2.0)						(100.0)			
15歳～	61	8									69	2	40	111
(%)	(88.4)	(11.6)									(100.0)			
30歳～	388	21	3	1		1					414	3	284	701
(%)	(93.7)	(5.1)	(0.7)	(0.2)		(0.2)					(100.0)			
45歳～	1,222	114	18	4		1					1,359	21	922	2,302
(%)	(89.9)	(8.4)	(1.3)	(0.3)		(0.1)					(100.0)			
60歳～	2,109	238	34	12	4	2	1			1	2,401	39	1,594	4,034
(%)	(87.8)	(9.9)	(1.4)	(0.5)	(0.2)	(0.1)	(0.0)			(0.0)	(100.0)			
75歳～	777	130	25	9	2				1		944	13	634	1,591
(%)	(82.3)	(13.8)	(2.6)	(1.0)	(0.2)				(0.1)		(100.0)			
90歳～	53	8	2	1							64	1	40	105
(%)	(82.8)	(12.5)	(3.1)	(1.6)							(100.0)			
合計	4,651	527	82	27	7	4	1		1	1	5,301	79	3,561	8,941
(%)	(87.7)	(9.9)	(1.5)	(0.5)	(0.1)	(0.1)	(0.0)		(0.0)	(0.0)	(100.0)			
不明														
(%)														
記載なし														
(%)														
総計	4,651	527	82	27	7	4	1		1	1	5,301	79	3,561	8,941
(%)	(87.7)	(9.9)	(1.5)	(0.5)	(0.1)	(0.1)	(0.0)		(0.0)	(0.0)	(100.0)			
平均	62.18	64.46	67.23	67.78	64.57	59.50	61.00		77.00	64.00	62.51	63.23	62.33	62.45
標準偏差	14.34	14.80	12.81	12.38	23.56	14.20					14.39	12.99	14.78	14.53

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査