

表 4428 腹膜炎罹患回数(回/年) 原疾患別（腹膜透析患者）

原疾患	なし	1回	2回	3回	4回	5回	6回	7回	8回	9回以上	合計	不明	記載なし	総計
慢性糸球体腎炎	1,688	173	30	10	2	1			1	1	1,906	21	1,132	3,059
(%)	(88.6)	(9.1)	(1.6)	(0.5)	(0.1)	(0.1)			(0.1)	(0.1)	(100.0)			
慢性腎盂腎炎	50	8	1								59	1	33	93
(%)	(84.7)	(13.6)	(1.7)								(100.0)			
急速進行性糸球体腎炎	36	5									41		33	74
(%)	(87.8)	(12.2)									(100.0)			
妊娠腎/妊娠中毒症	19	4	1								24		8	32
(%)	(79.2)	(16.7)	(4.2)								(100.0)			
その他の分類不能の腎炎	49	3			1						53	2	30	85
(%)	(92.5)	(5.7)			(1.9)						(100.0)			
多発性嚢胞腎	126	18	2	3							149	2	92	243
(%)	(84.6)	(12.1)	(1.3)	(2.0)							(100.0)			
腎硬化症	565	80	11	2		2					660	10	413	1,083
(%)	(85.6)	(12.1)	(1.7)	(0.3)		(0.3)					(100.0)			
悪性高血圧	59	6									65		42	107
(%)	(90.8)	(9.2)									(100.0)			
糖尿病性腎症	1,362	146	22	6	4	1	1				1,542	34	1,190	2,766
(%)	(88.3)	(9.5)	(1.4)	(0.4)	(0.3)	(0.1)	(0.1)				(100.0)			
SLE腎炎	33	3	1								37	1	24	62
(%)	(89.2)	(8.1)	(2.7)								(100.0)			
アミロイド腎	5										5		4	9
(%)	(100.0)										(100.0)			
痛風腎	21	2									23	1	9	33
(%)	(91.3)	(8.7)									(100.0)			
先天性代謝異常による腎不全	11	1									12		6	18
(%)	(91.7)	(8.3)									(100.0)			
腎・尿路結核	1										1			1
(%)	(100.0)										(100.0)			
腎・尿路結石	8			1							9		7	16
(%)	(88.9)			(11.1)							(100.0)			
腎・尿路腫瘍	5	2	1	1							9	1	4	14
(%)	(55.6)	(22.2)	(11.1)	(11.1)							(100.0)			
閉塞性尿路障害	8	3		1							12	1	9	22
(%)	(66.7)	(25.0)		(8.3)							(100.0)			
骨髄腫	2		1								3		5	8
(%)	(66.7)		(33.3)								(100.0)			
腎形成不全	42	4									46		30	76
(%)	(91.3)	(8.7)									(100.0)			
不明	412	48	11	2							473	4	363	840
(%)	(87.1)	(10.1)	(2.3)	(0.4)							(100.0)			
再導入	29	5									34	1	16	51
(%)	(85.3)	(14.7)									(100.0)			
その他	120	16	1	1							138		111	249
(%)	(87.0)	(11.6)	(0.7)	(0.7)							(100.0)			
合計	4,651	527	82	27	7	4	1		1	1	5,301	79	3,561	8,941
(%)	(87.7)	(9.9)	(1.5)	(0.5)	(0.1)	(0.1)	(0.0)		(0.0)	(0.0)	(100.0)			
記載なし														
(%)														
総計	4,651	527	82	27	7	4	1		1	1	5,301	79	3,561	8,941
(%)	(87.7)	(9.9)	(1.5)	(0.5)	(0.1)	(0.1)	(0.0)		(0.0)	(0.0)	(100.0)			

数値下のかっこ内は行方向の合計に対する％です。
(C)Japanese Society for Dialysis Therapy
2014年調査