

表 4467 腹膜炎罹患回数(回/年) 出口部感染罹患回数(回/年)別 (腹膜透析患者)

出口部感染 罹患回数	なし	1回	2回	3回	4回	5回	6回	7回	8回	9回以上	合計	不明	記載なし	総計
なし	3,791	384	52	23	3	3	1				4,257		3	4,260
(%)	(89.1)	(9.0)	(1.2)	(0.5)	(0.1)	(0.1)	(0.0)				(100.0)			
1回	570	102	19	2	1						694		2	696
(%)	(82.1)	(14.7)	(2.7)	(0.3)	(0.1)						(100.0)			
2回	158	20	3	1		1					183			183
(%)	(86.3)	(10.9)	(1.6)	(0.5)		(0.5)					(100.0)			
3回	49	4	3		1				1		58			58
(%)	(84.5)	(6.9)	(5.2)		(1.7)				(1.7)		(100.0)			
4回	22	5	1		1						29			29
(%)	(75.9)	(17.2)	(3.4)		(3.4)						(100.0)			
5回	17	3								1	21			21
(%)	(81.0)	(14.3)								(4.8)	(100.0)			
6回	11	2	1								14	1		15
(%)	(78.6)	(14.3)	(7.1)								(100.0)			
7回														
(%)														
8回	2	1									3			3
(%)	(66.7)	(33.3)									(100.0)			
9回以上	12	2	2								16			16
(%)	(75.0)	(12.5)	(12.5)								(100.0)			
合計	4,632	523	81	26	6	4	1		1	1	5,275	1	5	5,281
(%)	(87.8)	(9.9)	(1.5)	(0.5)	(0.1)	(0.1)	(0.0)		(0.0)	(0.0)	(100.0)			
不明	1	1			1						3	78		81
(%)	(33.3)	(33.3)			(33.3)						(100.0)			
記載なし	18	3	1	1							23		3,556	3,579
(%)	(78.3)	(13.0)	(4.3)	(4.3)							(100.0)			
総計	4,651	527	82	27	7	4	1		1	1	5,301	79	3,561	8,941
(%)	(87.7)	(9.9)	(1.5)	(0.5)	(0.1)	(0.1)	(0.0)		(0.0)	(0.0)	(100.0)			

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査