

表 4472 腹膜炎罹患回数(回/年) 透析歴(年)別 (腹膜透析単独患者)

透析歴	なし	1回	2回	3回	4回	5回	6回	7回	8回	9回以上	合計	不明	記載なし	総計
2年未満	1,779	183	28	8	3	1	1		1		2,004	18	1,340	3,362
(%)	(88.8)	(9.1)	(1.4)	(0.4)	(0.1)	(0.0)	(0.0)		(0.0)		(100.0)			
2年～	1,328	173	28	8	3	2					1,542	38	1,002	2,582
(%)	(86.1)	(11.2)	(1.8)	(0.5)	(0.2)	(0.1)					(100.0)			
5年～	532	74	11	4							621	4	376	1,001
(%)	(85.7)	(11.9)	(1.8)	(0.6)							(100.0)			
10年～	81	7	2	2							92		79	171
(%)	(88.0)	(7.6)	(2.2)	(2.2)							(100.0)			
15年～	25		1								26		19	45
(%)	(96.2)		(3.8)								(100.0)			
20年～	4	2									6		5	11
(%)	(66.7)	(33.3)									(100.0)			
25年～	4										4			4
(%)	(100.0)										(100.0)			
30年～	3	1									4		2	6
(%)	(75.0)	(25.0)									(100.0)			
35年～	2										2			2
(%)	(100.0)										(100.0)			
40年～														
(%)														
合計	3,758	440	70	22	6	3	1		1		4,301	60	2,823	7,184
(%)	(87.4)	(10.2)	(1.6)	(0.5)	(0.1)	(0.1)	(0.0)		(0.0)		(100.0)			
不明													4	4
(%)														
記載なし														
(%)														
総計	3,758	440	70	22	6	3	1		1		4,301	60	2,827	7,188
(%)	(87.4)	(10.2)	(1.6)	(0.5)	(0.1)	(0.1)	(0.0)		(0.0)		(100.0)			
平均	2.49	2.73	2.94	3.36	1.50	1.67			1.00		2.52	2.38	2.53	2.52
標準偏差	3.15	3.10	2.99	3.87	1.52	0.58					3.14	1.65	3.09	3.11

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査