

表 4481 腹膜炎罹患回数(回/年) 1日のPD実施時間(時間/日)別(腹膜透析単独患者)

1日のPD実施時間	なし	1回	2回	3回	4回	5回	6回	7回	8回	9回以上	合計	不明	記載なし	総計
1～	65	4	1								70		9	79
(%)	(92.9)	(5.7)	(1.4)								(100.0)			
5～	636	62	11	3	1				1		714		19	733
(%)	(89.1)	(8.7)	(1.5)	(0.4)	(0.1)				(0.1)		(100.0)			
9～	514	61	8	4		1					588	1	24	613
(%)	(87.4)	(10.4)	(1.4)	(0.7)		(0.2)					(100.0)			
13～	296	31	5		1						333	1	6	340
(%)	(88.9)	(9.3)	(1.5)		(0.3)						(100.0)			
18～	136	9			1						146		2	148
(%)	(93.2)	(6.2)			(0.7)						(100.0)			
24	1,970	255	42	15	3	2	1				2,288	1	81	2,370
(%)	(86.1)	(11.1)	(1.8)	(0.7)	(0.1)	(0.1)	(0.0)				(100.0)			
合計	3,617	422	67	22	6	3	1		1		4,139	3	141	4,283
(%)	(87.4)	(10.2)	(1.6)	(0.5)	(0.1)	(0.1)	(0.0)		(0.0)		(100.0)			
記載なし	141	18	3								162	57	2,686	2,905
(%)	(87.0)	(11.1)	(1.9)								(100.0)			
総計	3,758	440	70	22	6	3	1		1		4,301	60	2,827	7,188
(%)	(87.4)	(10.2)	(1.6)	(0.5)	(0.1)	(0.1)	(0.0)		(0.0)		(100.0)			
平均	17.90	18.67	18.63	19.36	18.83	19.00	24.00		8.00		18.00	16.33	17.67	17.99
標準偏差	7.21	7.01	7.30	7.01	7.11	8.66					7.19	7.51	7.78	7.21

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査