

表 4500 腹膜炎罹患回数(回/年) 1日のPD実施時間(時間/日)別 (PD・HD(F)等併用患者)

1日のPD実施時間	なし	1回	2回	3回	4回	5回	6回	7回	8回	9回以上	合計	不明	記載なし	総計
1～	14	2	1		1						18		1	19
(%)	(77.8)	(11.1)	(5.6)		(5.6)						(100.0)			
5～	88	5				1					94	1	3	98
(%)	(93.6)	(5.3)				(1.1)					(100.0)			
9～	73	9		1							83		5	88
(%)	(88.0)	(10.8)		(1.2)							(100.0)			
13～	55	6	1								62		1	63
(%)	(88.7)	(9.7)	(1.6)								(100.0)			
18～	62	3									65			65
(%)	(95.4)	(4.6)									(100.0)			
24	552	50	9	4						1	616		16	632
(%)	(89.6)	(8.1)	(1.5)	(0.6)						(0.2)	(100.0)			
合計	844	75	11	5	1	1				1	938	1	26	965
(%)	(90.0)	(8.0)	(1.2)	(0.5)	(0.1)	(0.1)				(0.1)	(100.0)			
記載なし	46	12	1								59	18	706	783
(%)	(78.0)	(20.3)	(1.7)								(100.0)			
総計	890	87	12	5	1	1				1	997	19	732	1,748
(%)	(89.3)	(8.7)	(1.2)	(0.5)	(0.1)	(0.1)				(0.1)	(100.0)			
平均	19.79	19.81	21.36	21.60	4.00	8.00				24.00	19.80	8.00	18.23	19.74
標準偏差	6.52	6.57	6.36	5.37							6.54		7.62	6.58

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査