

表 4509 出口部感染罹患回数(回/年) 現在施行中のPD歴(年)別(腹膜透析患者)

現在施行中のPD 歴	なし	1回	2回	3回	4回	5回	6回	7回	8回	9回以上	合計	不明	記載なし	総計
1年未満	989	146	34	8	3		2				1,182	7	104	1,293
(%)	(83.7)	(12.4)	(2.9)	(0.7)	(0.3)		(0.2)				(100.0)			
1年～	765	152	41	16	8	4	5			4	995	17	39	1,051
(%)	(76.9)	(15.3)	(4.1)	(1.6)	(0.8)	(0.4)	(0.5)			(0.4)	(100.0)			
2年～	1,117	201	54	12	7	7	4			7	1,409	41	64	1,514
(%)	(79.3)	(14.3)	(3.8)	(0.9)	(0.5)	(0.5)	(0.3)			(0.5)	(100.0)			
4年～	665	99	27	16	7	6	3		2	5	830	11	27	868
(%)	(80.1)	(11.9)	(3.3)	(1.9)	(0.8)	(0.7)	(0.4)		(0.2)	(0.6)	(100.0)			
6年～	354	45	14	3	2	2			1		421	2	28	451
(%)	(84.1)	(10.7)	(3.3)	(0.7)	(0.5)	(0.5)			(0.2)		(100.0)			
8年～	170	21	6		1						198	2	13	213
(%)	(85.9)	(10.6)	(3.0)		(0.5)						(100.0)			
10年～	199	32	7	3	1	2	1				245		10	255
(%)	(81.2)	(13.1)	(2.9)	(1.2)	(0.4)	(0.8)	(0.4)				(100.0)			
合計	4,259	696	183	58	29	21	15		3	16	5,280	80	285	5,645
(%)	(80.7)	(13.2)	(3.5)	(1.1)	(0.5)	(0.4)	(0.3)		(0.1)	(0.3)	(100.0)			
記載なし	1										1	1	3,294	3,296
(%)	(100.0)										(100.0)			
総計	4,260	696	183	58	29	21	15		3	16	5,281	81	3,579	8,941
(%)	(80.7)	(13.2)	(3.5)	(1.1)	(0.5)	(0.4)	(0.3)		(0.1)	(0.3)	(100.0)			
平均	3.43	3.25	3.28	3.45	3.57	4.19	3.11		5.56	3.02	3.41	2.94	2.96	3.38
標準偏差	3.32	2.98	2.85	3.04	2.83	2.76	2.61		1.68	1.26	3.25	1.72	3.37	3.24

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査