

表 4552 出口部感染罹患回数(回/年) 年齢(歳)別 (腹膜透析単独患者)

年齢	なし	1回	2回	3回	4回	5回	6回	7回	8回	9回以上	合計	不明	記載なし	総計
15歳未満	40	6	3	1							50		47	97
(%)	(80.0)	(12.0)	(6.0)	(2.0)							(100.0)			
15歳～	48	4	3	1	1					1	58	2	32	92
(%)	(82.8)	(6.9)	(5.2)	(1.7)	(1.7)					(1.7)	(100.0)			
30歳～	262	37	11	2		3	1				316	2	207	525
(%)	(82.9)	(11.7)	(3.5)	(0.6)		(0.9)	(0.3)				(100.0)			
45歳～	815	143	36	8	5	3	2			6	1,018	15	646	1,679
(%)	(80.1)	(14.0)	(3.5)	(0.8)	(0.5)	(0.3)	(0.2)			(0.6)	(100.0)			
60歳～	1,579	249	64	21	10	5	8		1	4	1,941	28	1,264	3,233
(%)	(81.3)	(12.8)	(3.3)	(1.1)	(0.5)	(0.3)	(0.4)		(0.1)	(0.2)	(100.0)			
75歳～	674	116	31	12	7	2	1			3	846	13	601	1,460
(%)	(79.7)	(13.7)	(3.7)	(1.4)	(0.8)	(0.2)	(0.1)			(0.4)	(100.0)			
90歳～	47	10	2		1						60	1	41	102
(%)	(78.3)	(16.7)	(3.3)		(1.7)						(100.0)			
合計	3,465	565	150	45	24	13	12		1	14	4,289	61	2,838	7,188
(%)	(80.8)	(13.2)	(3.5)	(1.0)	(0.6)	(0.3)	(0.3)		(0.0)	(0.3)	(100.0)			
不明														
(%)														
記載なし														
(%)														
総計	3,465	565	150	45	24	13	12		1	14	4,289	61	2,838	7,188
(%)	(80.8)	(13.2)	(3.5)	(1.0)	(0.6)	(0.3)	(0.3)		(0.0)	(0.3)	(100.0)			
平均	63.03	63.55	63.13	65.47	68.33	58.85	64.42		67.00	59.29	63.14	63.66	63.41	63.25
標準偏差	14.86	14.48	16.18	15.18	13.88	17.04	11.57			13.86	14.85	14.00	15.40	15.06

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査