

表 4554 出口部感染罹患回数(回/年) 透析歴(年)別 (腹膜透析単独患者)

透析歴	なし	1回	2回	3回	4回	5回	6回	7回	8回	9回以上	合計	不明	記載なし	総計
2年未満	1,618	272	71	22	11	3	6			2	2,005	17	1,340	3,362
(%)	(80.7)	(13.6)	(3.5)	(1.1)	(0.5)	(0.1)	(0.3)			(0.1)	(100.0)			
2年～	1,234	203	52	14	9	6	4		1	10	1,533	38	1,011	2,582
(%)	(80.5)	(13.2)	(3.4)	(0.9)	(0.6)	(0.4)	(0.3)		(0.1)	(0.7)	(100.0)			
5年～	502	74	22	7	3	4	2			2	616	5	380	1,001
(%)	(81.5)	(12.0)	(3.6)	(1.1)	(0.5)	(0.6)	(0.3)			(0.3)	(100.0)			
10年～	76	13	3	1	1						94		77	171
(%)	(80.9)	(13.8)	(3.2)	(1.1)	(1.1)						(100.0)			
15年～	21	1	2	1							25	1	19	45
(%)	(84.0)	(4.0)	(8.0)	(4.0)							(100.0)			
20年～	6										6		5	11
(%)	(100.0)										(100.0)			
25年～	3	1									4			4
(%)	(75.0)	(25.0)									(100.0)			
30年～	3	1									4		2	6
(%)	(75.0)	(25.0)									(100.0)			
35年～	2										2			2
(%)	(100.0)										(100.0)			
40年～														
(%)														
合計	3,465	565	150	45	24	13	12		1	14	4,289	61	2,834	7,184
(%)	(80.8)	(13.2)	(3.5)	(1.0)	(0.6)	(0.3)	(0.3)		(0.0)	(0.3)	(100.0)			
不明													4	4
(%)														
記載なし														
(%)														
総計	3,465	565	150	45	24	13	12		1	14	4,289	61	2,838	7,188
(%)	(80.8)	(13.2)	(3.5)	(1.0)	(0.6)	(0.3)	(0.3)		(0.0)	(0.3)	(100.0)			
平均	2.53	2.41	2.51	2.71	2.58	3.15	2.00		4.00	2.93	2.52	2.72	2.53	2.52
標準偏差	3.20	2.99	2.78	3.08	2.99	1.91	1.86			1.49	3.14	2.58	3.08	3.11

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査