

表 4563 出口部感染罹患回数(回/年) 1日のPD実施時間(時間/日)別 (腹膜透析単独患者)

1日のPD実施時間	なし	1回	2回	3回	4回	5回	6回	7回	8回	9回以上	合計	不明	記載なし	総計
1～	61	5	3		1						70		9	79
(%)	(87.1)	(7.1)	(4.3)		(1.4)						(100.0)			
5～	567	97	25	8	3	3	4			3	710		23	733
(%)	(79.9)	(13.7)	(3.5)	(1.1)	(0.4)	(0.4)	(0.6)			(0.4)	(100.0)			
9～	475	74	18	11	6	2	1			1	588	1	24	613
(%)	(80.8)	(12.6)	(3.1)	(1.9)	(1.0)	(0.3)	(0.2)			(0.2)	(100.0)			
13～	260	57	10	3	1		1			2	334		6	340
(%)	(77.8)	(17.1)	(3.0)	(0.9)	(0.3)		(0.3)			(0.6)	(100.0)			
18～	110	25	3	2		1				3	144	1	3	148
(%)	(76.4)	(17.4)	(2.1)	(1.4)		(0.7)				(2.1)	(100.0)			
24	1,851	290	90	21	13	7	6		1	5	2,284	1	85	2,370
(%)	(81.0)	(12.7)	(3.9)	(0.9)	(0.6)	(0.3)	(0.3)		(0.0)	(0.2)	(100.0)			
合計	3,324	548	149	45	24	13	12		1	14	4,130	3	150	4,283
(%)	(80.5)	(13.3)	(3.6)	(1.1)	(0.6)	(0.3)	(0.3)		(0.0)	(0.3)	(100.0)			
記載なし	141	17	1								159	58	2,688	2,905
(%)	(88.7)	(10.7)	(0.6)								(100.0)			
総計	3,465	565	150	45	24	13	12		1	14	4,289	61	2,838	7,188
(%)	(80.8)	(13.2)	(3.5)	(1.0)	(0.6)	(0.3)	(0.3)		(0.0)	(0.3)	(100.0)			
平均	18.02	17.94	18.45	17.09	17.08	17.69	16.92		24.00	17.29	18.00	17.00	17.58	17.99
標準偏差	7.20	7.05	7.35	7.07	8.06	7.75	7.76			6.74	7.19	7.55	7.80	7.21

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査