

表 222 2015年末患者, 原疾患別人数, 平均年齢

原疾患	人 数	記 載 な し	総 計	平 均	標準偏差
慢性糸球体腎炎	93,346	1	93,347	66.90	12.46
(%)	(29.8)	(20.0)	(29.8)		
慢性腎盂腎炎	2,935		2,935	65.62	13.84
(%)	(0.9)		(0.9)		
急速進行性糸球体腎炎	2,478		2,478	69.23	12.93
(%)	(0.8)		(0.8)		
妊娠腎/妊娠中毒症	1,545		1,545	65.06	10.23
(%)	(0.5)		(0.5)		
その他分類不能の腎炎	1,405		1,405	61.33	16.85
(%)	(0.4)		(0.4)		
多発性嚢胞腎	11,256		11,256	65.16	11.37
(%)	(3.6)		(3.6)		
腎硬化症	29,805		29,805	74.25	11.74
(%)	(9.5)		(9.5)		
悪性高血圧	2,618		2,618	64.04	14.88
(%)	(0.8)		(0.8)		
糖尿病性腎症	120,276	2	120,278	67.52	11.33
(%)	(38.4)	(40.0)	(38.4)		
SLE腎炎	2,227		2,227	61.64	13.68
(%)	(0.7)		(0.7)		
アミロイド腎	462		462	68.19	11.35
(%)	(0.1)		(0.1)		
痛風腎	1,075		1,075	67.76	11.37
(%)	(0.3)		(0.3)		
先天性代謝異常による腎不全	274		274	49.53	17.23
(%)	(0.1)		(0.1)		
腎・尿路結核	195		195	73.25	8.86
(%)	(0.1)		(0.1)		
腎・尿路結石	581		581	70.89	11.13
(%)	(0.2)		(0.2)		
腎・尿路腫瘍	910		910	72.35	10.55
(%)	(0.3)		(0.3)		
閉塞性尿路障害	730		730	64.08	16.36
(%)	(0.2)		(0.2)		
骨髄腫	291		291	70.76	10.83
(%)	(0.1)		(0.1)		
腎形成不全	660		660	45.40	19.35
(%)	(0.2)		(0.2)		
不明	29,895	2	29,897	69.98	13.12
(%)	(9.5)	(40.0)	(9.5)		
移植後再導入	2,183		2,183	56.77	12.54
(%)	(0.7)		(0.7)		
その他	8,044		8,044	66.17	15.45
(%)	(2.6)		(2.6)		
合計	313,191	5	313,196	67.86	12.49
(%)	(100.0)	(100.0)	(100.0)		
記載なし	21		21	70.52	11.36
総計	313,212	5	313,217	67.86	12.49

数値下のかっこ内は列方向の合計に対する%です。

人数列右の「記載なし」:生年月日の記入がなく、年齢の算出ができなかった患者数

(C)Japanese Society for Dialysis Therapy

2015年調査