

表 231 2015年末患者, 治療方法, 併用の状況別

併用の状況	施設血液透析	血液透析濾過	血液濾過	血液吸着透析	在宅血液透析	腹膜透析	合計	記載なし	総計
HD(F)単独	248,492	53,728	16	1,376	550	1	304,163		304,163
(%)	(99.9)	(99.9)	(100.0)	(100.0)	(99.5)	(0.0)	(97.1)		(97.1)
PD単独						7,104	7,104		7,104
(%)						(81.0)	(2.3)		(2.3)
HD(F)単独.PDカテあり	151	29		2			182		182
(%)	(0.1)	(0.1)		(0.4)			(0.1)		(0.1)
PD.HD併用週1 HD(F)						1,470	1,470		1,470
(%)						(16.8)	(0.5)		(0.5)
PD.HD併用週2 HD(F)	32	8				132	172		172
(%)	(0.0)	(0.0)				(1.5)	(0.1)		(0.1)
PD.HD併用週3 HD(F)	28	1					29		29
(%)	(0.0)	(0.0)					(0.0)		(0.0)
PD.HD併用週4 HD(F)									
(%)									
PD.HD併用その他	4	4		1		62	71		71
(%)	(0.0)	(0.0)		(0.2)		(0.7)	(0.0)		(0.0)
合計	248,707	53,770	16	1,376	553	8,769	313,191		313,191
(%)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)		(100.0)
不明	17	6			2		25		25
記載なし	1						1		1
総計	248,725	53,776	16	1,376	555	8,769	313,217		313,217

数値下のかっこ内は列方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査