

表 302 2015年死亡患者死亡原因分類(年齢別, 原疾患別)原疾患＝慢性糸球体腎炎

死因	5歳未満	5歳～	10歳～	15歳～	20歳～	25歳～	30歳～	35歳～	40歳～	45歳～	50歳～	55歳～	60歳～	65歳～	70歳～	75歳～	80歳～	85歳～	90歳～	95歳～	合計	不明	記載なし	総計	平均	標準偏差	
心不全							1	3	4	10	24	39	75	218	253	337	382	375	144	33	1,898			1,898	78.01	9.82	
(%)							(50.0)	(37.5)	(18.2)	(22.2)	(27.3)	(19.9)	(19.1)	(26.4)	(26.2)	(29.0)	(29.6)	(34.6)	(32.1)	(34.0)	(28.6)			(28.6)			
脳血管障害								1	3	6	7	19	52	61	70	76	79	49	17	4	444			444	73.85	10.57	
(%)								(12.5)	(13.6)	(13.3)	(8.0)	(9.7)	(13.2)	(7.4)	(7.3)	(6.5)	(6.1)	(4.5)	(3.8)	(4.1)	(6.7)			(6.7)			
感染症					1		1	1	5	2	9	23	67	162	239	228	276	243	96	20	1,373			1,373	77.56	9.51	
(%)					(100.0)		(50.0)	(12.5)	(22.7)	(4.4)	(10.2)	(11.7)	(17.0)	(19.6)	(24.8)	(19.6)	(21.4)	(22.4)	(21.4)	(20.6)	(20.7)			(20.7)			
消化管出血											4	5	11	14	17	20	19	19	7		116			116	75.12	10.24	
(%)											(4.5)	(2.6)	(2.8)	(1.7)	(1.8)	(1.7)	(1.5)	(1.8)	(1.6)		(1.8)			(1.8)			
悪性腫瘍									2	6	13	26	56	119	102	94	108	81	19	3	629			629	73.90	9.95	
(%)									(9.1)	(13.3)	(14.8)	(13.3)	(14.2)	(14.4)	(10.6)	(8.1)	(8.4)	(7.5)	(4.2)	(3.1)	(9.5)			(9.5)			
悪液質/尿毒症									2	1		1	14	20	34	59	67	68	45	11	322			322	80.59	9.26	
(%)									(9.1)	(2.2)		(0.5)	(3.6)	(2.4)	(3.5)	(5.1)	(5.2)	(6.3)	(10.0)	(11.3)	(4.9)			(4.9)			
心筋梗塞										2	5	11	17	33	33	53	39	35	4	1	233			233	74.77	9.76	
(%)										(4.4)	(5.7)	(5.6)	(4.3)	(4.0)	(3.4)	(4.6)	(3.0)	(3.2)	(0.9)	(1.0)	(3.5)			(3.5)			
カリウム中毒/頓死								1	3	1	7	14	13	19	22	27	33	11	5	1	157			157	72.20	11.70	
(%)								(12.5)	(13.6)	(2.2)	(8.0)	(7.1)	(3.3)	(2.3)	(2.3)	(2.3)	(2.6)	(1.0)	(1.1)	(1.0)	(2.4)			(2.4)			
肝硬変症											3	4	10	9	12	16	11	2	1		68			68	71.84	9.13	
(%)											(3.4)	(2.0)	(2.5)	(1.1)	(1.2)	(1.4)	(0.9)	(0.2)	(0.2)	(1.0)			(1.0)				
自殺/拒否								1		1	1	1	5	12	9	11	9	4	5		59			59	73.46	11.29	
(%)								(12.5)		(2.2)	(1.1)	(0.5)	(1.3)	(1.5)	(0.9)	(0.9)	(0.7)	(0.4)	(1.1)		(0.9)			(0.9)			
腸閉塞										2		4	10	11	23	19	18	4	4		95			95	73.96	9.00	
(%)										(4.4)		(2.0)	(2.5)	(1.3)	(2.4)	(1.6)	(1.4)	(0.4)	(0.9)		(1.4)			(1.4)			
肺血栓/肺塞栓												1	1		5	5	2	3	1		18			18	76.72	8.50	
(%)												(0.5)	(0.3)		(0.5)	(0.4)	(0.2)	(0.3)	(0.2)		(0.3)			(0.3)			
災害・事故死												1		5	1	5	6	7	1		26			26	77.77	8.50	
(%)												(0.5)		(0.6)	(0.1)	(0.4)	(0.5)	(0.6)	(0.2)		(0.4)			(0.4)			
その他									2	2	7	19	28	63	81	111	125	92	60	15	605			605	78.01	10.08	
(%)									(9.1)	(4.4)	(8.0)	(9.7)	(7.1)	(7.6)	(8.4)	(9.5)	(9.7)	(8.5)	(13.4)	(15.5)	(9.1)			(9.1)			
不明								1	1	12	8	28	34	79	64	102	115	90	39	9	582	1		583	75.93	10.98	
(%)								(12.5)	(4.5)	(26.7)	(9.1)	(14.3)	(8.7)	(9.6)	(6.6)	(8.8)	(8.9)	(8.3)	(8.7)	(9.3)	(8.8)	(100.0)			(8.8)		
合計					1		2	8	22	45	88	196	393	825	965	1,163	1,289	1,083	448	97	6,625	1		6,626	76.72	10.16	
(%)					(100.0)		(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)		(100.0)		
記載なし												1		1	1	1	2	1	1		8			8	76.38	11.06	
総計					1		2	8	22	45	88	197	393	826	966	1,164	1,291	1,084	449	97	6,633	1		6,634	76.72	10.16	

数値下のかっこ内は列方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2015年調査