

表 310 2015年死亡患者死亡原因分類(年齢別, 原疾患別)原疾患＝糖尿病性腎症

死因	5歳未満	5歳～	10歳～	15歳～	20歳～	25歳～	30歳～	35歳～	40歳～	45歳～	50歳～	55歳～	60歳～	65歳～	70歳～	75歳～	80歳～	85歳～	90歳～	95歳～	合計	不明	記載なし	総計	平均	標準偏差
心不全			1				3	1	18	22	52	101	218	496	551	635	600	388	137	24	3,247			3,247	75.02	9.79
(%)			(50.0)				(60.0)	(7.1)	(31.6)	(17.1)	(21.1)	(23.3)	(24.6)	(27.4)	(27.1)	(27.7)	(28.3)	(29.4)	(34.0)	(33.8)	(27.5)			(27.5)		
脳血管障害								2	10	22	29	50	88	127	135	140	115	57	20	3	798			798	71.22	10.87
(%)								(14.3)	(17.5)	(17.1)	(11.7)	(11.5)	(9.9)	(7.0)	(6.6)	(6.1)	(5.4)	(4.3)	(5.0)	(4.2)	(6.8)			(6.7)		
感染症			1	2			1		5	17	29	72	149	367	441	535	508	315	88	15	2,545			2,545	75.49	9.36
(%)			(50.0)	(66.7)			(20.0)		(8.8)	(13.2)	(11.7)	(16.6)	(16.8)	(20.3)	(21.7)	(23.4)	(24.0)	(23.9)	(21.8)	(21.1)	(21.5)			(21.5)		
消化管出血											1	9	12	25	27	31	23	14	2		144			144	73.73	8.66
(%)											(0.4)	(2.1)	(1.4)	(1.4)	(1.3)	(1.4)	(1.1)	(1.1)	(0.5)		(1.2)			(1.2)		
悪性腫瘍									5	14	32	79	161	192	189	159	92	16	4		943			943	73.97	8.77
(%)									(3.9)	(5.7)	(7.4)	(8.9)	(8.9)	(9.4)	(8.3)	(7.5)	(7.0)	(4.0)	(5.6)		(8.0)			(8.0)		
悪液質/尿毒症									2	4	6	23	60	70	95	111	92	27	3		493			493	77.83	8.73
(%)									(1.6)	(1.6)	(1.4)	(2.6)	(3.3)	(3.4)	(4.1)	(5.2)	(7.0)	(6.7)	(4.2)		(4.2)			(4.2)		
心筋梗塞								1	6	11	20	34	70	136	106	119	111	46	19	1	680			680	72.04	10.18
(%)								(7.1)	(10.5)	(8.5)	(8.1)	(7.9)	(7.9)	(7.5)	(5.2)	(5.2)	(5.2)	(3.5)	(4.7)	(1.4)	(5.8)			(5.8)		
カリウム中毒/頓死								3	3	17	12	30	43	65	64	50	45	27	3		362			362	69.45	11.37
(%)								(21.4)	(5.3)	(13.2)	(4.9)	(6.9)	(4.9)	(3.6)	(3.1)	(2.2)	(2.1)	(2.0)	(0.7)		(3.1)			(3.1)		
肝硬変症											5	5	13	21	20	18	16	2	1		101			101	70.94	8.58
(%)											(2.0)	(1.2)	(1.5)	(1.2)	(1.0)	(0.8)	(0.8)	(0.2)	(0.2)		(0.9)			(0.9)		
自殺/拒否								2	2		5	3	4	15	12	15	12	9			79			79	71.35	11.97
(%)								(14.3)	(3.5)		(2.0)	(0.7)	(0.5)	(0.8)	(0.6)	(0.7)	(0.6)	(0.7)			(0.7)			(0.7)		
腸閉塞									1	2	3	7	10	23	21	22	10	1			100			100	74.60	8.61
(%)									(0.8)	(0.8)	(0.7)	(0.8)	(0.6)	(1.1)	(0.9)	(1.0)	(0.8)	(0.2)			(0.8)			(0.8)		
肺血栓/肺塞栓												1	1	2	8	8	4	4	1	1	30			30	77.13	8.59
(%)											(0.2)	(0.1)	(0.1)	(0.4)	(0.3)	(0.2)	(0.3)	(0.2)	(1.4)	(0.3)				(0.3)		
災害・事故死									1	1	3	4	11	18	12	6	4	2			62			62	72.68	8.82
(%)									(0.8)	(0.4)	(0.7)	(0.5)	(0.6)	(0.9)	(0.5)	(0.3)	(0.3)	(0.3)	(0.5)		(0.5)			(0.5)		
その他				1	1				1	8	24	24	53	119	150	200	214	122	47	14	978			978	76.12	10.03
(%)				(33.3)	(100.0)				(1.8)	(6.2)	(9.7)	(5.5)	(6.0)	(6.6)	(7.4)	(8.7)	(10.1)	(9.2)	(11.7)	(19.7)	(8.3)			(8.3)		
不明							1	5	12	23	49	60	121	197	217	222	171	137	39	6	1,260	2		1,262	72.54	10.97
(%)							(20.0)	(35.7)	(21.1)	(17.8)	(19.8)	(13.9)	(13.7)	(10.9)	(10.7)	(9.7)	(8.1)	(10.4)	(9.7)	(8.5)	(10.7)	(100.0)		(10.7)		
合計			2	3	1		5	14	57	129	247	433	885	1,812	2,034	2,290	2,117	1,319	403	71	11,822	2		11,824	74.30	10.03
(%)			(100.0)	(100.0)	(100.0)		(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)		(100.0)		
記載なし											1			1			2	2	1		7			7	78.29	13.88
総計			2	3	1		5	14	57	129	248	433	885	1,813	2,034	2,290	2,119	1,321	404	71	11,829	2		11,831	74.30	10.03

数値下のかっこ内は列方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2015年調査