

表 314 2015年死亡患者死因分類(年齢別、原疾患別)原疾患=先天性代謝異常に基づく腎不全

死因	5歳未満	5歳～	10歳～	15歳～	20歳～	25歳～	30歳～	35歳～	40歳～	45歳～	50歳～	55歳～	60歳～	65歳～	70歳～	75歳～	80歳～	85歳～	90歳～	95歳～	合計	不明	記載なし	総計	平均	標準偏差	
心不全 (%)											2 (100.0)				1 (33.3)		1 (100.0)				4 (33.3)			4 (33.3)	70.00	14.47	
脳血管障害 (%)																											
感染症 (%)	1 (100.0)														2 (66.7)	1 (33.3)					4 (33.3)			4 (33.3)	55.25	34.23	
消化管出血 (%)																											
悪性腫瘍 (%)												1 (50.0)										1 (8.3)			1 (8.3)	68.00	
悪液質/尿毒症 (%)															1 (33.3)	1 (33.3)						2 (16.7)			2 (16.7)	73.50	3.54
心筋梗塞 (%)																											
カリウム中毒/頓死 (%)																											
肝硬変症 (%)																											
自殺/拒否 (%)																											
腸閉塞 (%)																											
肺血栓/肺塞栓 (%)																											
災害・事故死 (%)																											
その他 (%)															1 (50.0)							1 (8.3)			1 (8.3)	67.00	
不明 (%)																											
合計 (%)	1 (100.0)										2 (100.0)		2 (100.0)	3 (100.0)	3 (100.0)		1 (100.0)				12 (100.0)			12 (100.0)	65.25	20.87	
記載なし																											
総計	1										2		2	3	3		1				12			12	65.25	20.87	

数値下のカッコ内は列方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査