

表 1819 週透析回数(回/週) 透析歴(年)別 (血液透析濾過患者)

透析歴	1回	2回	3回	4回	5回	6回	7回	合計	記載なし	総計	平均	標準偏差
2年未満	15	216	6,405	21	1			6,658	495	7,153	2.97	0.21
(%)	(0.2)	(3.2)	(96.2)	(0.3)	(0.0)			(100.0)				
2年～	11	132	11,069	35				11,247	788	12,035	2.99	0.14
(%)	(0.1)	(1.2)	(98.4)	(0.3)				(100.0)				
5年～	14	93	12,774	74		1		12,956	815	13,771	3.00	0.13
(%)	(0.1)	(0.7)	(98.6)	(0.6)		(0.0)		(100.0)				
10年～	3	23	7,563	51	1	1		7,642	485	8,127	3.00	0.11
(%)	(0.0)	(0.3)	(99.0)	(0.7)	(0.0)	(0.0)		(100.0)				
15年～	5	21	4,696	24		1		4,747	316	5,063	3.00	0.12
(%)	(0.1)	(0.4)	(98.9)	(0.5)		(0.0)		(100.0)				
20年～	4	10	3,058	17		2		3,091	183	3,274	3.00	0.14
(%)	(0.1)	(0.3)	(98.9)	(0.5)		(0.1)		(100.0)				
25年～		7	1,930	10	2			1,949	154	2,103	3.00	0.11
(%)		(0.4)	(99.0)	(0.5)	(0.1)			(100.0)				
30年～		4	1,197	4				1,205	71	1,276	3.00	0.08
(%)		(0.3)	(99.3)	(0.3)				(100.0)				
35年～		5	638	3				646	51	697	3.00	0.11
(%)		(0.8)	(98.8)	(0.5)				(100.0)				
40年～			197	3				200	14	214	3.02	0.12
(%)			(98.5)	(1.5)				(100.0)				
合計	52	511	49,527	242	4	5		50,341	3,372	53,713	2.99	0.14
(%)	(0.1)	(1.0)	(98.4)	(0.5)	(0.0)	(0.0)		(100.0)				
不明	4	3	54					61	2	63	2.82	0.53
(%)	(6.6)	(4.9)	(88.5)					(100.0)				
記載なし												
(%)												
総計	56	514	49,581	242	4	5		50,402	3,374	53,776	2.99	0.14
(%)	(0.1)	(1.0)	(98.4)	(0.5)	(0.0)	(0.0)		(100.0)				
平均	6.62	4.73	9.68	10.86	16.00	14.20		9.64	9.51	9.63		
標準偏差	6.96	6.81	8.71	8.66	13.34	6.76		8.70	8.87	8.71		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査