

表 2177 身長(cm) 透析歴(年)別（血液透析濾過患者 透析回数週3回）

透析歴	130未満	130～	135～	140～	145～	150～	155～	160～	165～	170～	175～	180～	185～	190～	合計	記載なし	総計	平均	標準偏差
2年未満	3	15	65	195	436	718	880	1,128	1,055	761	312	82	25	6	5,681	724	6,405	161.10	9.80
(%)	(0.1)	(0.3)	(1.1)	(3.4)	(7.7)	(12.6)	(15.5)	(19.9)	(18.6)	(13.4)	(5.5)	(1.4)	(0.4)	(0.1)	(100.0)				
2年～	6	25	91	361	762	1,240	1,559	2,027	2,014	1,452	580	160	28	3	10,308	761	11,069	161.38	9.62
(%)	(0.1)	(0.2)	(0.9)	(3.5)	(7.4)	(12.0)	(15.1)	(19.7)	(19.5)	(14.1)	(5.6)	(1.6)	(0.3)	(0.0)	(100.0)				
5年～	10	22	106	334	901	1,579	1,884	2,445	2,214	1,578	635	185	30	5	11,928	846	12,774	161.17	9.47
(%)	(0.1)	(0.2)	(0.9)	(2.8)	(7.6)	(13.2)	(15.8)	(20.5)	(18.6)	(13.2)	(5.3)	(1.6)	(0.3)	(0.0)	(100.0)				
10年～	5	11	41	213	513	986	1,221	1,318	1,355	995	363	95	11	1	7,128	435	7,563	161.14	9.31
(%)	(0.1)	(0.2)	(0.6)	(3.0)	(7.2)	(13.8)	(17.1)	(18.5)	(19.0)	(14.0)	(5.1)	(1.3)	(0.2)	(0.0)	(100.0)				
15年～	3	4	26	112	346	689	778	845	792	547	213	52	13	1	4,421	275	4,696	160.71	9.24
(%)	(0.1)	(0.1)	(0.6)	(2.5)	(7.8)	(15.6)	(17.6)	(19.1)	(17.9)	(12.4)	(4.8)	(1.2)	(0.3)	(0.0)	(100.0)				
20年～	3	4	11	85	262	484	497	535	460	360	125	31	3		2,860	198	3,058	160.14	9.27
(%)	(0.1)	(0.1)	(0.4)	(3.0)	(9.2)	(16.9)	(17.4)	(18.7)	(16.1)	(12.6)	(4.4)	(1.1)	(0.1)		(100.0)				
25年～	3	5	13	56	170	351	342	314	300	197	73	12			1,836	94	1,930	159.36	9.31
(%)	(0.2)	(0.3)	(0.7)	(3.1)	(9.3)	(19.1)	(18.6)	(17.1)	(16.3)	(10.7)	(4.0)	(0.7)			(100.0)				
30年～	3	2	12	48	116	212	198	210	175	98	38	14			1,126	71	1,197	158.68	9.34
(%)	(0.3)	(0.2)	(1.1)	(4.3)	(10.3)	(18.8)	(17.6)	(18.7)	(15.5)	(8.7)	(3.4)	(1.2)			(100.0)				
35年～	1	1	10	32	76	105	106	115	87	51	19	1			604	34	638	157.88	9.35
(%)	(0.2)	(0.2)	(1.7)	(5.3)	(12.6)	(17.4)	(17.5)	(19.0)	(14.4)	(8.4)	(3.1)	(0.2)			(100.0)				
40年～		1	4	9	29	34	26	33	26	18	8	1			189	8	197	157.98	9.83
(%)		(0.5)	(2.1)	(4.8)	(15.3)	(18.0)	(13.8)	(17.5)	(13.8)	(9.5)	(4.2)	(0.5)			(100.0)				
合計	37	90	379	1,445	3,611	6,398	7,491	8,970	8,478	6,057	2,366	633	110	16	46,081	3,446	49,527	160.91	9.50
(%)	(0.1)	(0.2)	(0.8)	(3.1)	(7.8)	(13.9)	(16.3)	(19.5)	(18.4)	(13.1)	(5.1)	(1.4)	(0.2)	(0.0)	(100.0)				
不明				3	5	2	2	5	3	2		1			23	31	54	157.00	11.69
(%)				(13.0)	(21.7)	(8.7)	(8.7)	(21.7)	(13.0)	(8.7)		(4.3)			(100.0)				
記載なし																			
(%)																			
総計	37	90	379	1,448	3,616	6,400	7,493	8,975	8,481	6,059	2,366	634	110	16	46,104	3,477	49,581	160.91	9.50
(%)	(0.1)	(0.2)	(0.8)	(3.1)	(7.8)	(13.9)	(16.3)	(19.5)	(18.4)	(13.1)	(5.1)	(1.4)	(0.2)	(0.0)	(100.0)				
平均	12.51	8.62	9.04	9.89	10.65	10.98	10.25	9.51	9.28	9.11	8.89	8.41	6.54	4.50	9.78	8.35	9.68		
標準偏差	10.11	9.13	9.59	9.53	9.60	9.35	8.86	8.57	8.29	8.06	8.00	7.43	5.88	4.68	8.72	8.40	8.71		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2015年調査