

表 2244 透析後体重(kg) 透析歴(年)別（血液透析濾過患者 透析回数週3回）

透析歴	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
2年未満		13	368	1,390	1,897	1,386	708	279	112	43	19	9	6,224	181	6,405	58.65	14.10
(%)		(0.2)	(5.9)	(22.3)	(30.5)	(22.3)	(11.4)	(4.5)	(1.8)	(0.7)	(0.3)	(0.1)	(100.0)				
2年～	4	21	528	2,191	3,287	2,567	1,272	580	242	79	30	23	10,824	245	11,069	59.80	14.37
(%)	(0.0)	(0.2)	(4.9)	(20.2)	(30.4)	(23.7)	(11.8)	(5.4)	(2.2)	(0.7)	(0.3)	(0.2)	(100.0)				
5年～	5	24	727	2,758	3,898	2,898	1,341	499	186	61	20	18	12,435	339	12,774	58.20	13.49
(%)	(0.0)	(0.2)	(5.8)	(22.2)	(31.3)	(23.3)	(10.8)	(4.0)	(1.5)	(0.5)	(0.2)	(0.1)	(100.0)				
10年～	5	13	531	1,828	2,371	1,695	658	207	66	22	8	6	7,410	153	7,563	56.50	12.59
(%)	(0.1)	(0.2)	(7.2)	(24.7)	(32.0)	(22.9)	(8.9)	(2.8)	(0.9)	(0.3)	(0.1)	(0.1)	(100.0)				
15年～	2	11	363	1,336	1,582	871	324	82	23	2	3	1	4,600	96	4,696	54.47	11.38
(%)	(0.0)	(0.2)	(7.9)	(29.0)	(34.4)	(18.9)	(7.0)	(1.8)	(0.5)	(0.0)	(0.1)	(0.0)	(100.0)				
20年～		8	286	1,021	1,018	480	124	39	10	2		1	2,989	69	3,058	52.48	10.79
(%)		(0.3)	(9.6)	(34.2)	(34.1)	(16.1)	(4.1)	(1.3)	(0.3)	(0.1)		(0.0)	(100.0)				
25年～		7	205	676	664	259	73	9	3				1,896	34	1,930	51.35	9.85
(%)		(0.4)	(10.8)	(35.7)	(35.0)	(13.7)	(3.9)	(0.5)	(0.2)				(100.0)				
30年～	1	3	164	420	377	158	35	6					1,164	33	1,197	50.39	9.82
(%)	(0.1)	(0.3)	(14.1)	(36.1)	(32.4)	(13.6)	(3.0)	(0.5)					(100.0)				
35年～		1	97	236	211	66	16	4					631	7	638	49.77	9.56
(%)		(0.2)	(15.4)	(37.4)	(33.4)	(10.5)	(2.5)	(0.6)					(100.0)				
40年～			37	80	54	18	5	1					195	2	197	48.64	9.45
(%)			(19.0)	(41.0)	(27.7)	(9.2)	(2.6)	(0.5)					(100.0)				
合計	17	101	3,306	11,936	15,359	10,398	4,556	1,706	642	209	80	58	48,368	1,159	49,527	57.04	13.33
(%)	(0.0)	(0.2)	(6.8)	(24.7)	(31.8)	(21.5)	(9.4)	(3.5)	(1.3)	(0.4)	(0.2)	(0.1)	(100.0)				
不明			3	19	11	5	1	3	1				43	11	54	53.30	13.73
(%)			(7.0)	(44.2)	(25.6)	(11.6)	(2.3)	(7.0)	(2.3)				(100.0)				
記載なし																	
(%)																	
総計	17	101	3,309	11,955	15,370	10,403	4,557	1,709	643	209	80	58	48,411	1,170	49,581	57.04	13.33
(%)	(0.0)	(0.2)	(6.8)	(24.7)	(31.7)	(21.5)	(9.4)	(3.5)	(1.3)	(0.4)	(0.2)	(0.1)	(100.0)				
平均	10.00	10.53	12.46	11.42	10.01	8.49	7.20	6.15	5.37	4.81	4.70	4.98	9.70	8.97	9.68		
標準偏差	7.62	9.08	10.33	9.64	8.80	7.56	6.59	5.60	4.74	4.00	4.16	4.39	8.72	8.34	8.71		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2015年調査