

表 2246 透析後体重(kg) 医療機関別（血液透析濾過患者 透析回数週3回）

医療機関	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
国公立大学			6	13	16	7	2	3	1				48	1	49	54.58	13.82
(%)			(12.5)	(27.1)	(33.3)	(14.6)	(4.2)	(6.3)	(2.1)				(100.0)				
私立大学			13	57	46	28	20	5	3		1		173	2	175	55.91	14.08
(%)			(7.5)	(32.9)	(26.6)	(16.2)	(11.6)	(2.9)	(1.7)		(0.6)		(100.0)				
国立		1	9	14	6	5	4						39	12	51	48.99	12.90
(%)		(2.6)	(23.1)	(35.9)	(15.4)	(12.8)	(10.3)						(100.0)				
県市町村立	1	5	142	522	680	418	174	61	18	2	2	4	2,029	86	2,115	56.10	12.73
(%)	(0.0)	(0.2)	(7.0)	(25.7)	(33.5)	(20.6)	(8.6)	(3.0)	(0.9)	(0.1)	(0.1)	(0.2)	(100.0)				
社会保険			23	130	131	68	27	11	6	1	2		399	14	413	55.33	12.82
(%)			(5.8)	(32.6)	(32.8)	(17.0)	(6.8)	(2.8)	(1.5)	(0.3)	(0.5)		(100.0)				
厚生連			82	251	308	207	82	32	5	5		2	974	48	1,022	56.03	12.91
(%)			(8.4)	(25.8)	(31.6)	(21.3)	(8.4)	(3.3)	(0.5)	(0.5)		(0.2)	(100.0)				
その他公的			70	218	237	175	68	43	7	3	1	2	824	30	854	56.74	13.89
(%)			(8.5)	(26.5)	(28.8)	(21.2)	(8.3)	(5.2)	(0.8)	(0.4)	(0.1)	(0.2)	(100.0)				
私立総合		2	96	290	404	275	98	37	11	4	3	1	1,221	21	1,242	56.42	12.75
(%)		(0.2)	(7.9)	(23.8)	(33.1)	(22.5)	(8.0)	(3.0)	(0.9)	(0.3)	(0.2)	(0.1)	(100.0)				
私立	5	33	939	3,092	3,702	2,468	992	334	127	59	8	10	11,769	485	12,254	56.03	12.99
(%)	(0.0)	(0.3)	(8.0)	(26.3)	(31.5)	(21.0)	(8.4)	(2.8)	(1.1)	(0.5)	(0.1)	(0.1)	(100.0)				
私立診療所	11	60	1,929	7,368	9,840	6,752	3,090	1,183	465	135	63	39	30,935	471	31,406	57.59	13.49
(%)	(0.0)	(0.2)	(6.2)	(23.8)	(31.8)	(21.8)	(10.0)	(3.8)	(1.5)	(0.4)	(0.2)	(0.1)	(100.0)				
総計	17	101	3,309	11,955	15,370	10,403	4,557	1,709	643	209	80	58	48,411	1,170	49,581	57.04	13.33
(%)	(0.0)	(0.2)	(6.8)	(24.7)	(31.7)	(21.5)	(9.4)	(3.5)	(1.3)	(0.4)	(0.2)	(0.1)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2015年調査