

表 2333 Body Mass Index 併用の状況別（透析患者全体）

併用の状況	14未満	14～	16～	18～	20～	22～	24～	26～	28～	30～	合計	記載なし	総計	平均	標準偏差
HD(F)単独	1,648	9,242	30,203	53,529	58,885	45,672	27,583	14,960	7,852	6,843	256,417	47,746	304,163	21.52	3.69
(%)	(0.6)	(3.6)	(11.8)	(20.9)	(23.0)	(17.8)	(10.8)	(5.8)	(3.1)	(2.7)	(100.0)				
PD単独	25	66	180	456	847	965	709	400	237	171	4,056	3,048	7,104	23.13	3.67
(%)	(0.6)	(1.6)	(4.4)	(11.2)	(20.9)	(23.8)	(17.5)	(9.9)	(5.8)	(4.2)	(100.0)				
HD(F)単独.PDカテあり	1	7	21	26	40	29	14	7	2	5	152	30	182	21.31	3.74
(%)	(0.7)	(4.6)	(13.8)	(17.1)	(26.3)	(19.1)	(9.2)	(4.6)	(1.3)	(3.3)	(100.0)				
PD.HD併用週1 HD(F)		4	38	138	227	281	207	100	71	53	1,119	351	1,470	23.41	3.54
(%)		(0.4)	(3.4)	(12.3)	(20.3)	(25.1)	(18.5)	(8.9)	(6.3)	(4.7)	(100.0)				
PD.HD併用週2 HD(F)		2	8	10	24	32	29	13	9	7	134	38	172	23.51	3.55
(%)		(1.5)	(6.0)	(7.5)	(17.9)	(23.9)	(21.6)	(9.7)	(6.7)	(5.2)	(100.0)				
PD.HD併用週3 HD(F)			3	5	3	8	1	1		2	23	6	29	22.24	4.18
(%)			(13.0)	(21.7)	(13.0)	(34.8)	(4.3)	(4.3)		(8.7)	(100.0)				
PD.HD併用週4 HD(F)															
(%)															
PD.HD併用その他			3	5	17	18	13	3		2	61	10	71	22.70	2.85
(%)			(4.9)	(8.2)	(27.9)	(29.5)	(21.3)	(4.9)		(3.3)	(100.0)				
合計	1,674	9,321	30,456	54,169	60,043	47,005	28,556	15,484	8,171	7,083	261,962	51,229	313,191	21.55	3.70
(%)	(0.6)	(3.6)	(11.6)	(20.7)	(22.9)	(17.9)	(10.9)	(5.9)	(3.1)	(2.7)	(100.0)				
不明			1	6	3	5	1	1		1	18	7	25	21.96	3.70
(%)			(5.6)	(33.3)	(16.7)	(27.8)	(5.6)	(5.6)		(5.6)	(100.0)				
記載なし												1	1		
(%)															
総計	1,674	9,321	30,457	54,175	60,046	47,010	28,557	15,485	8,171	7,084	261,980	51,237	313,217	21.55	3.70
(%)	(0.6)	(3.6)	(11.6)	(20.7)	(22.9)	(17.9)	(10.9)	(5.9)	(3.1)	(2.7)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査