

表 2626 nPCR(g/kg/day) 医療機関別（施設血液透析患者 透析回数週3回 透析歴2年以上）

医療機関	0.4未満	0.4～	0.6～	0.8～	1.0～	1.2～	1.4～	1.6～	1.8～	2.0～	合計	記載なし	総計	平均	標準偏差
国公立大学	4	34	55	63	11	5					172	73	245	0.76	0.20
(%)	(2.3)	(19.8)	(32.0)	(36.6)	(6.4)	(2.9)					(100.0)				
私立大学	3	52	248	386	133	17	2				841	139	980	0.85	0.17
(%)	(0.4)	(6.2)	(29.5)	(45.9)	(15.8)	(2.0)	(0.2)				(100.0)				
国立		25	72	121	46	6	2			1	273	64	337	0.86	0.19
(%)		(9.2)	(26.4)	(44.3)	(16.8)	(2.2)	(0.7)			(0.4)	(100.0)				
県市町村立	12	568	3,055	3,677	1,399	250	28	6		1	8,996	821	9,817	0.85	0.18
(%)	(0.1)	(6.3)	(34.0)	(40.9)	(15.6)	(2.8)	(0.3)	(0.1)		(0.0)	(100.0)				
社会保険	2	121	595	789	331	55	11	3			1,907	138	2,045	0.86	0.18
(%)	(0.1)	(6.3)	(31.2)	(41.4)	(17.4)	(2.9)	(0.6)	(0.2)			(100.0)				
厚生連	11	263	1,506	1,953	672	118	10	2	2	1	4,538	335	4,873	0.85	0.17
(%)	(0.2)	(5.8)	(33.2)	(43.0)	(14.8)	(2.6)	(0.2)	(0.0)	(0.0)	(0.0)	(100.0)				
その他公的	9	293	1,556	2,115	772	121	12	3		1	4,882	372	5,254	0.85	0.17
(%)	(0.2)	(6.0)	(31.9)	(43.3)	(15.8)	(2.5)	(0.2)	(0.1)		(0.0)	(100.0)				
私立総合	9	197	1,103	1,363	528	71	8			1	3,280	177	3,457	0.85	0.17
(%)	(0.3)	(6.0)	(33.6)	(41.6)	(16.1)	(2.2)	(0.2)			(0.0)	(100.0)				
私立	165	3,234	15,010	19,001	7,425	1,305	171	16	6	19	46,352	4,643	50,995	0.85	0.18
(%)	(0.4)	(7.0)	(32.4)	(41.0)	(16.0)	(2.8)	(0.4)	(0.0)	(0.0)	(0.0)	(100.0)				
私立診療所	94	3,613	26,139	39,066	16,635	2,901	315	43	7	27	88,840	5,901	94,741	0.87	0.17
(%)	(0.1)	(4.1)	(29.4)	(44.0)	(18.7)	(3.3)	(0.4)	(0.0)	(0.0)	(0.0)	(100.0)				
総計	309	8,400	49,339	68,534	27,952	4,849	559	73	15	51	160,081	12,663	172,744	0.86	0.18
(%)	(0.2)	(5.2)	(30.8)	(42.8)	(17.5)	(3.0)	(0.3)	(0.0)	(0.0)	(0.0)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査