

表 2730 透析前アルブミン濃度(g/dL) 透析歴(年)別 (透析患者全体)

透析歴	1.5未満	1.5～	2.0～	2.5～	3.0～	3.5～	4.0～	4.5～	5.0～	合計	記載なし	総計	平均	標準偏差
2年未満	98	445	1,550	4,819	16,141	27,801	9,471	544	27	60,896	8,483	69,379	3.52	0.49
(%)	(0.2)	(0.7)	(2.5)	(7.9)	(26.5)	(45.7)	(15.6)	(0.9)	(0.0)	(100.0)				
2年～	27	200	998	3,924	17,794	34,648	12,235	642	32	70,500	8,138	78,638	3.59	0.43
(%)	(0.0)	(0.3)	(1.4)	(5.6)	(25.2)	(49.1)	(17.4)	(0.9)	(0.0)	(100.0)				
5年～	37	209	1,008	3,894	17,899	35,097	11,455	578	35	70,212	7,589	77,801	3.58	0.43
(%)	(0.1)	(0.3)	(1.4)	(5.5)	(25.5)	(50.0)	(16.3)	(0.8)	(0.0)	(100.0)				
10年～	25	104	490	1,960	9,331	18,398	5,812	237	18	36,375	3,685	40,060	3.58	0.42
(%)	(0.1)	(0.3)	(1.3)	(5.4)	(25.7)	(50.6)	(16.0)	(0.7)	(0.0)	(100.0)				
15年～	6	63	236	901	4,778	10,236	3,171	155	8	19,554	2,001	21,555	3.60	0.41
(%)	(0.0)	(0.3)	(1.2)	(4.6)	(24.4)	(52.3)	(16.2)	(0.8)	(0.0)	(100.0)				
20年～	3	21	105	489	2,777	5,734	1,740	64	6	10,939	1,092	12,031	3.60	0.40
(%)	(0.0)	(0.2)	(1.0)	(4.5)	(25.4)	(52.4)	(15.9)	(0.6)	(0.1)	(100.0)				
25年～	3	21	64	296	1,618	3,157	938	43	1	6,141	589	6,730	3.58	0.41
(%)	(0.0)	(0.3)	(1.0)	(4.8)	(26.3)	(51.4)	(15.3)	(0.7)	(0.0)	(100.0)				
30年～	3	3	50	214	1,020	1,802	434	12	3	3,541	376	3,917	3.54	0.41
(%)	(0.1)	(0.1)	(1.4)	(6.0)	(28.8)	(50.9)	(12.3)	(0.3)	(0.1)	(100.0)				
35年～	1	9	28	148	655	874	184	7	1	1,907	189	2,096	3.48	0.42
(%)	(0.1)	(0.5)	(1.5)	(7.8)	(34.3)	(45.8)	(9.6)	(0.4)	(0.1)	(100.0)				
40年～		2	15	65	214	219	46			561	56	617	3.38	0.42
(%)		(0.4)	(2.7)	(11.6)	(38.1)	(39.0)	(8.2)			(100.0)				
合計	203	1,077	4,544	16,710	72,227	137,966	45,486	2,282	131	280,626	32,198	312,824	3.57	0.44
(%)	(0.1)	(0.4)	(1.6)	(6.0)	(25.7)	(49.2)	(16.2)	(0.8)	(0.0)	(100.0)				
不明		3	8	21	40	85	39	1		197	195	392	3.49	0.56
(%)		(1.5)	(4.1)	(10.7)	(20.3)	(43.1)	(19.8)	(0.5)		(100.0)				
記載なし											1	1		
(%)														
総計	203	1,080	4,552	16,731	72,267	138,051	45,525	2,283	131	280,823	32,394	313,217	3.57	0.44
(%)	(0.1)	(0.4)	(1.6)	(6.0)	(25.7)	(49.2)	(16.2)	(0.8)	(0.0)	(100.0)				
平均	5.00	5.56	5.96	6.65	7.46	7.59	7.14	6.40	7.47	7.38	6.69	7.31		
標準偏差	7.06	7.23	7.33	7.71	7.83	7.56	7.14	6.61	7.76	7.57	7.38	7.55		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査