

表 2783 アルブミン濃度(g/dL) 医療機関別（腹膜透析患者）

| 医療機関  | 1.5未満 | 1.5～  | 2.0～  | 2.5～   | 3.0～   | 3.5～   | 4.0～  | 4.5～  | 5.0～  | 合計      | 記載なし  | 総計    | 平均   | 標準偏差 |
|-------|-------|-------|-------|--------|--------|--------|-------|-------|-------|---------|-------|-------|------|------|
| 国公立大学 | 1     | 5     | 12    | 62     | 142    | 109    | 25    | 3     |       | 359     | 304   | 663   | 3.29 | 0.50 |
| (%)   | (0.3) | (1.4) | (3.3) | (17.3) | (39.6) | (30.4) | (7.0) | (0.8) |       | (100.0) |       |       |      |      |
| 私立大学  | 1     | 6     | 24    | 98     | 288    | 190    | 52    | 5     |       | 664     | 442   | 1,106 | 3.29 | 0.49 |
| (%)   | (0.2) | (0.9) | (3.6) | (14.8) | (43.4) | (28.6) | (7.8) | (0.8) |       | (100.0) |       |       |      |      |
| 国立    | 2     | 3     | 6     | 36     | 63     | 36     | 12    |       |       | 158     | 64    | 222   | 3.20 | 0.56 |
| (%)   | (1.3) | (1.9) | (3.8) | (22.8) | (39.9) | (22.8) | (7.6) |       |       | (100.0) |       |       |      |      |
| 県市町村立 | 4     | 13    | 66    | 212    | 411    | 326    | 66    | 11    |       | 1,109   | 464   | 1,573 | 3.24 | 0.53 |
| (%)   | (0.4) | (1.2) | (6.0) | (19.1) | (37.1) | (29.4) | (6.0) | (1.0) |       | (100.0) |       |       |      |      |
| 社会保険  |       | 4     | 12    | 30     | 73     | 53     | 11    |       |       | 183     | 339   | 522   | 3.22 | 0.52 |
| (%)   |       | (2.2) | (6.6) | (16.4) | (39.9) | (29.0) | (6.0) |       |       | (100.0) |       |       |      |      |
| 厚生連   | 2     | 3     | 28    | 100    | 173    | 102    | 16    | 3     |       | 427     | 133   | 560   | 3.17 | 0.50 |
| (%)   | (0.5) | (0.7) | (6.6) | (23.4) | (40.5) | (23.9) | (3.7) | (0.7) |       | (100.0) |       |       |      |      |
| その他公的 | 2     | 9     | 43    | 195    | 368    | 270    | 54    | 1     | 1     | 943     | 416   | 1,359 | 3.23 | 0.50 |
| (%)   | (0.2) | (1.0) | (4.6) | (20.7) | (39.0) | (28.6) | (5.7) | (0.1) | (0.1) | (100.0) |       |       |      |      |
| 私立総合  | 3     | 2     | 13    | 51     | 121    | 100    | 16    |       |       | 306     | 57    | 363   | 3.26 | 0.49 |
| (%)   | (1.0) | (0.7) | (4.2) | (16.7) | (39.5) | (32.7) | (5.2) |       |       | (100.0) |       |       |      |      |
| 私立    | 4     | 27    | 68    | 203    | 436    | 383    | 89    | 5     | 2     | 1,217   | 482   | 1,699 | 3.26 | 0.55 |
| (%)   | (0.3) | (2.2) | (5.6) | (16.7) | (35.8) | (31.5) | (7.3) | (0.4) | (0.2) | (100.0) |       |       |      |      |
| 私立診療所 |       | 4     | 19    | 70     | 240    | 196    | 29    | 2     | 1     | 561     | 141   | 702   | 3.33 | 0.46 |
| (%)   |       | (0.7) | (3.4) | (12.5) | (42.8) | (34.9) | (5.2) | (0.4) | (0.2) | (100.0) |       |       |      |      |
| 総計    | 19    | 76    | 291   | 1,057  | 2,315  | 1,765  | 370   | 30    | 4     | 5,927   | 2,842 | 8,769 | 3.25 | 0.51 |
| (%)   | (0.3) | (1.3) | (4.9) | (17.8) | (39.1) | (29.8) | (6.2) | (0.5) | (0.1) | (100.0) |       |       |      |      |

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査