

表 2797 透析前CRP濃度(mg/dL) 治療方法(新分類)別(透析患者全体)

治療方法 (新分類)	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
施設血液透析	105,606	37,116	19,008	12,447	7,434	2,733	1,332	678	795	513	187,662	61,063	248,725	0.64	1.86
(%)	(56.3)	(19.8)	(10.1)	(6.6)	(4.0)	(1.5)	(0.7)	(0.4)	(0.4)	(0.3)	(100.0)				
Off-line HDF	2,004	872	524	334	187	74	45	19	21	10	4,090	1,242	5,332	0.76	1.84
(%)	(49.0)	(21.3)	(12.8)	(8.2)	(4.6)	(1.8)	(1.1)	(0.5)	(0.5)	(0.2)	(100.0)				
On-line HDF	21,636	6,888	3,352	2,088	1,127	410	179	102	92	73	35,947	8,580	44,527	0.53	1.60
(%)	(60.2)	(19.2)	(9.3)	(5.8)	(3.1)	(1.1)	(0.5)	(0.3)	(0.3)	(0.2)	(100.0)				
Push/Pull HDF	50	17	6	7	1			1			82	28	110	0.41	1.06
(%)	(61.0)	(20.7)	(7.3)	(8.5)	(1.2)			(1.2)			(100.0)				
ハイオフィルトレーション	119	56	32	20	12		1	1	2		243	24	267	0.62	1.36
(%)	(49.0)	(23.0)	(13.2)	(8.2)	(4.9)		(0.4)	(0.4)	(0.8)		(100.0)				
IHDF	1,639	579	299	178	95	43	19	12	13	5	2,882	658	3,540	0.59	1.51
(%)	(56.9)	(20.1)	(10.4)	(6.2)	(3.3)	(1.5)	(0.7)	(0.4)	(0.5)	(0.2)	(100.0)				
血液濾過	4	3	2			1		1			11	5	16	1.45	2.61
(%)	(36.4)	(27.3)	(18.2)			(9.1)		(9.1)			(100.0)				
血液吸着透析 (リクセル等使用)	597	265	124	74	49	12	3	1	6	5	1,136	240	1,376	0.63	1.82
(%)	(52.6)	(23.3)	(10.9)	(6.5)	(4.3)	(1.1)	(0.3)	(0.1)	(0.5)	(0.4)	(100.0)				
在宅血液透析	236	76	32	23	9	1	1	1		1	380	175	555	0.55	3.24
(%)	(62.1)	(20.0)	(8.4)	(6.1)	(2.4)	(0.3)	(0.3)	(0.3)		(0.3)	(100.0)				
腹膜透析 (CAPD)	1,584	560	307	179	127	40	24	10	15	7	2,853	2,049	4,902	0.66	1.76
(%)	(55.5)	(19.6)	(10.8)	(6.3)	(4.5)	(1.4)	(0.8)	(0.4)	(0.5)	(0.2)	(100.0)				
腹膜透析 (APD)	962	342	166	104	75	33	4	5	4	1	1,696	1,079	2,775	0.55	1.24
(%)	(56.7)	(20.2)	(9.8)	(6.1)	(4.4)	(1.9)	(0.2)	(0.3)	(0.2)	(0.1)	(100.0)				
腹膜透析 (CCPD)	410	139	67	48	22	6	4		1	2	699	393	1,092	0.50	1.41
(%)	(58.7)	(19.9)	(9.6)	(6.9)	(3.1)	(0.9)	(0.6)		(0.1)	(0.3)	(100.0)				
合計	134,847	46,913	23,919	15,502	9,138	3,353	1,612	831	949	617	237,681	75,536	313,217	0.62	1.81
(%)	(56.7)	(19.7)	(10.1)	(6.5)	(3.8)	(1.4)	(0.7)	(0.3)	(0.4)	(0.3)	(100.0)				
記載なし															
(%)															
総計	134,847	46,913	23,919	15,502	9,138	3,353	1,612	831	949	617	237,681	75,536	313,217	0.62	1.81
(%)	(56.7)	(19.7)	(10.1)	(6.5)	(3.8)	(1.4)	(0.7)	(0.3)	(0.4)	(0.3)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

*腹膜透析(CCPD)は、APDと手動のバック交換の両方を行うもの

(C)Japanese Society for Dialysis Therapy

2015年調査