

表 2800 透析前CRP濃度(mg/dL) 年齢(歳)別 (透析患者全体)

年齢	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
15歳未満	43	12	5	6		1		1			68	35	103	0.47	1.17
(%)	(63.2)	(17.6)	(7.4)	(8.8)		(1.5)		(1.5)			(100.0)				
15歳～	489	119	45	22	20	4	3				702	268	970	0.32	0.76
(%)	(69.7)	(17.0)	(6.4)	(3.1)	(2.8)	(0.6)	(0.4)				(100.0)				
30歳～	6,844	1,839	852	492	234	76	39	16	18	15	10,425	3,431	13,856	0.41	1.35
(%)	(65.6)	(17.6)	(8.2)	(4.7)	(2.2)	(0.7)	(0.4)	(0.2)	(0.2)	(0.1)	(100.0)				
45歳～	26,915	7,700	3,582	2,118	1,196	396	166	92	115	74	42,354	13,987	56,341	0.48	1.60
(%)	(63.5)	(18.2)	(8.5)	(5.0)	(2.8)	(0.9)	(0.4)	(0.2)	(0.3)	(0.2)	(100.0)				
60歳～	62,400	21,001	10,586	6,643	3,968	1,413	689	374	391	283	107,748	33,886	141,634	0.60	1.80
(%)	(57.9)	(19.5)	(9.8)	(6.2)	(3.7)	(1.3)	(0.6)	(0.3)	(0.4)	(0.3)	(100.0)				
75歳～	36,238	15,329	8,296	5,819	3,499	1,354	669	329	390	226	72,149	22,599	94,748	0.76	1.98
(%)	(50.2)	(21.2)	(11.5)	(8.1)	(4.8)	(1.9)	(0.9)	(0.5)	(0.5)	(0.3)	(100.0)				
90歳～	1,918	913	553	402	221	109	46	19	35	19	4,235	1,325	5,560	0.90	2.09
(%)	(45.3)	(21.6)	(13.1)	(9.5)	(5.2)	(2.6)	(1.1)	(0.4)	(0.8)	(0.4)	(100.0)				
合計	134,847	46,913	23,919	15,502	9,138	3,353	1,612	831	949	617	237,681	75,531	313,212	0.62	1.81
(%)	(56.7)	(19.7)	(10.1)	(6.5)	(3.8)	(1.4)	(0.7)	(0.3)	(0.4)	(0.3)	(100.0)				
不明												4	4		
(%)															
記載なし												1	1		
(%)															
総計	134,847	46,913	23,919	15,502	9,138	3,353	1,612	831	949	617	237,681	75,536	313,217	0.62	1.81
(%)	(56.7)	(19.7)	(10.1)	(6.5)	(3.8)	(1.4)	(0.7)	(0.3)	(0.4)	(0.3)	(100.0)				
平均	66.72	68.71	69.44	70.33	70.65	71.46	71.71	71.60	71.81	70.82	67.92	67.66	67.86		
標準偏差	12.54	12.28	12.20	12.09	11.78	11.65	11.39	11.51	11.62	11.18	12.46	12.61	12.49		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査