

表 2803 透析前CRP濃度(mg/dL) 医療機関別（透析患者全体）

医療機関	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
国公立大学	348	129	74	66	63	31	23	10	21	13	778	430	1,208	1.69	3.57
(%)	(44.7)	(16.6)	(9.5)	(8.5)	(8.1)	(4.0)	(3.0)	(1.3)	(2.7)	(1.7)	(100.0)				
私立大学	1,135	458	206	160	135	72	42	17	31	27	2,283	1,281	3,564	1.17	2.89
(%)	(49.7)	(20.1)	(9.0)	(7.0)	(5.9)	(3.2)	(1.8)	(0.7)	(1.4)	(1.2)	(100.0)				
国立	262	115	60	44	31	19	10	5	8	4	558	366	924	1.16	2.83
(%)	(47.0)	(20.6)	(10.8)	(7.9)	(5.6)	(3.4)	(1.8)	(0.9)	(1.4)	(0.7)	(100.0)				
県市町村立	7,827	2,806	1,424	952	556	248	141	76	76	58	14,164	5,354	19,518	0.73	2.10
(%)	(55.3)	(19.8)	(10.1)	(6.7)	(3.9)	(1.8)	(1.0)	(0.5)	(0.5)	(0.4)	(100.0)				
社会保険	1,619	609	306	182	126	48	25	12	14	11	2,952	947	3,899	0.71	2.20
(%)	(54.8)	(20.6)	(10.4)	(6.2)	(4.3)	(1.6)	(0.8)	(0.4)	(0.5)	(0.4)	(100.0)				
厚生連	4,102	1,505	693	458	285	127	63	26	39	15	7,313	1,688	9,001	0.64	1.67
(%)	(56.1)	(20.6)	(9.5)	(6.3)	(3.9)	(1.7)	(0.9)	(0.4)	(0.5)	(0.2)	(100.0)				
その他公的	3,960	1,469	667	495	308	103	81	47	46	40	7,216	3,708	10,924	0.78	2.21
(%)	(54.9)	(20.4)	(9.2)	(6.9)	(4.3)	(1.4)	(1.1)	(0.7)	(0.6)	(0.6)	(100.0)				
私立総合	3,357	1,144	596	398	245	97	48	26	36	30	5,977	1,471	7,448	0.77	2.95
(%)	(56.2)	(19.1)	(10.0)	(6.7)	(4.1)	(1.6)	(0.8)	(0.4)	(0.6)	(0.5)	(100.0)				
私立	36,928	14,038	7,671	5,165	3,282	1,226	594	338	377	243	69,862	20,203	90,065	0.74	2.09
(%)	(52.9)	(20.1)	(11.0)	(7.4)	(4.7)	(1.8)	(0.9)	(0.5)	(0.5)	(0.3)	(100.0)				
私立診療所	75,309	24,640	12,222	7,582	4,107	1,382	585	274	301	176	126,578	40,088	166,666	0.51	1.42
(%)	(59.5)	(19.5)	(9.7)	(6.0)	(3.2)	(1.1)	(0.5)	(0.2)	(0.2)	(0.1)	(100.0)				
総計	134,847	46,913	23,919	15,502	9,138	3,353	1,612	831	949	617	237,681	75,536	313,217	0.62	1.81
(%)	(56.7)	(19.7)	(10.1)	(6.5)	(3.8)	(1.4)	(0.7)	(0.3)	(0.4)	(0.3)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査