

表 2816 透析前CRP濃度(mg/dL) 年齢(歳)別 (施設血液透析患者 透析回数週3回)

年齢	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
15歳未満	7	1	1								9	1	10	0.12	0.16
(%)	(77.8)	(11.1)	(11.1)								(100.0)				
15歳～	317	79	26	9	12	4					447	130	577	0.28	0.68
(%)	(70.9)	(17.7)	(5.8)	(2.0)	(2.7)	(0.9)					(100.0)				
30歳～	4,680	1,288	597	341	168	52	30	10	13	11	7,190	1,814	9,004	0.42	1.43
(%)	(65.1)	(17.9)	(8.3)	(4.7)	(2.3)	(0.7)	(0.4)	(0.1)	(0.2)	(0.2)	(100.0)				
45歳～	18,943	5,443	2,570	1,511	863	285	114	69	86	53	29,937	7,633	37,570	0.48	1.62
(%)	(63.3)	(18.2)	(8.6)	(5.0)	(2.9)	(1.0)	(0.4)	(0.2)	(0.3)	(0.2)	(100.0)				
60歳～	47,221	15,990	7,985	5,039	3,082	1,074	521	282	309	211	81,714	19,228	100,942	0.61	1.82
(%)	(57.8)	(19.6)	(9.8)	(6.2)	(3.8)	(1.3)	(0.6)	(0.3)	(0.4)	(0.3)	(100.0)				
75歳～	29,201	12,347	6,688	4,748	2,829	1,101	564	261	313	192	58,244	13,321	71,565	0.77	1.98
(%)	(50.1)	(21.2)	(11.5)	(8.2)	(4.9)	(1.9)	(1.0)	(0.4)	(0.5)	(0.3)	(100.0)				
90歳～	1,571	730	466	315	169	91	37	16	29	15	3,439	741	4,180	0.90	2.10
(%)	(45.7)	(21.2)	(13.6)	(9.2)	(4.9)	(2.6)	(1.1)	(0.5)	(0.8)	(0.4)	(100.0)				
合計	101,940	35,878	18,333	11,963	7,123	2,607	1,266	638	750	482	180,980	42,868	223,848	0.63	1.84
(%)	(56.3)	(19.8)	(10.1)	(6.6)	(3.9)	(1.4)	(0.7)	(0.4)	(0.4)	(0.3)	(100.0)				
不明												3	3		
(%)															
記載なし												1	1		
(%)															
総計	101,940	35,878	18,333	11,963	7,123	2,607	1,266	638	750	482	180,980	42,872	223,852	0.63	1.84
(%)	(56.3)	(19.8)	(10.1)	(6.6)	(3.9)	(1.4)	(0.7)	(0.4)	(0.4)	(0.3)	(100.0)				
平均	67.41	69.32	70.08	70.95	71.08	72.03	72.47	72.13	72.09	71.34	68.59	68.06	68.49		
標準偏差	12.37	12.09	12.03	11.79	11.58	11.46	11.14	11.26	11.41	11.19	12.27	12.38	12.29		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査