

表 2819 透析前CRP濃度(mg/dL) 医療機関別（施設血液透析患者 透析回数週3回）

医療機関	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
国公立大学	109	55	46	43	35	24	17	8	16	11	364	44	408	2.59	4.39
(%)	(29.9)	(15.1)	(12.6)	(11.8)	(9.6)	(6.6)	(4.7)	(2.2)	(4.4)	(3.0)	(100.0)				
私立大学	626	280	118	100	91	54	32	12	23	22	1,358	138	1,496	1.41	3.25
(%)	(46.1)	(20.6)	(8.7)	(7.4)	(6.7)	(4.0)	(2.4)	(0.9)	(1.7)	(1.6)	(100.0)				
国立	172	68	37	23	25	14	9	3	4	3	358	157	515	1.24	3.07
(%)	(48.0)	(19.0)	(10.3)	(6.4)	(7.0)	(3.9)	(2.5)	(0.8)	(1.1)	(0.8)	(100.0)				
県市町村立	5,819	2,100	1,054	709	442	182	104	63	57	49	10,579	2,391	12,970	0.75	2.17
(%)	(55.0)	(19.9)	(10.0)	(6.7)	(4.2)	(1.7)	(1.0)	(0.6)	(0.5)	(0.5)	(100.0)				
社会保険	1,193	458	245	144	98	40	20	9	9	7	2,223	452	2,675	0.70	1.87
(%)	(53.7)	(20.6)	(11.0)	(6.5)	(4.4)	(1.8)	(0.9)	(0.4)	(0.4)	(0.3)	(100.0)				
厚生連	3,197	1,173	530	346	203	106	49	20	33	12	5,669	754	6,423	0.65	1.71
(%)	(56.4)	(20.7)	(9.3)	(6.1)	(3.6)	(1.9)	(0.9)	(0.4)	(0.6)	(0.2)	(100.0)				
その他公的	2,999	1,069	487	378	243	85	66	37	37	29	5,430	1,486	6,916	0.81	2.27
(%)	(55.2)	(19.7)	(9.0)	(7.0)	(4.5)	(1.6)	(1.2)	(0.7)	(0.7)	(0.5)	(100.0)				
私立総合	2,321	810	416	288	185	64	36	20	27	21	4,188	601	4,789	0.79	2.85
(%)	(55.4)	(19.3)	(9.9)	(6.9)	(4.4)	(1.5)	(0.9)	(0.5)	(0.6)	(0.5)	(100.0)				
私立	29,143	11,194	6,150	4,150	2,668	999	494	271	320	199	55,588	11,009	66,597	0.76	2.13
(%)	(52.4)	(20.1)	(11.1)	(7.5)	(4.8)	(1.8)	(0.9)	(0.5)	(0.6)	(0.4)	(100.0)				
私立診療所	56,361	18,671	9,250	5,782	3,133	1,039	439	195	224	129	95,223	25,840	121,063	0.51	1.42
(%)	(59.2)	(19.6)	(9.7)	(6.1)	(3.3)	(1.1)	(0.5)	(0.2)	(0.2)	(0.1)	(100.0)				
総計	101,940	35,878	18,333	11,963	7,123	2,607	1,266	638	750	482	180,980	42,872	223,852	0.63	1.84
(%)	(56.3)	(19.8)	(10.1)	(6.6)	(3.9)	(1.4)	(0.7)	(0.4)	(0.4)	(0.3)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査