

表 2848 CRP濃度(mg/dL) 年齢(歳)別 (腹膜透析患者)

年齢	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
15歳未満	35	10	4	6		1		1			57	32	89	0.53	1.27
(%)	(61.4)	(17.5)	(7.0)	(10.5)		(1.8)		(1.8)			(100.0)				
15歳～	38	12	3	3	2		1				59	42	101	0.41	0.98
(%)	(64.4)	(20.3)	(5.1)	(5.1)	(3.4)		(1.7)				(100.0)				
30歳～	241	62	39	19	6	4	1				372	288	660	0.36	0.75
(%)	(64.8)	(16.7)	(10.5)	(5.1)	(1.6)	(1.1)	(0.3)				(100.0)				
45歳～	882	251	117	64	41	16	5	1	3	4	1,384	936	2,320	0.47	1.42
(%)	(63.7)	(18.1)	(8.5)	(4.6)	(3.0)	(1.2)	(0.4)	(0.1)	(0.2)	(0.3)	(100.0)				
60歳～	1,284	482	251	149	94	35	15	8	8	4	2,330	1,493	3,823	0.61	1.58
(%)	(55.1)	(20.7)	(10.8)	(6.4)	(4.0)	(1.5)	(0.6)	(0.3)	(0.3)	(0.2)	(100.0)				
75歳～	452	202	122	80	80	21	10	5	6	2	980	669	1,649	0.86	1.84
(%)	(46.1)	(20.6)	(12.4)	(8.2)	(8.2)	(2.1)	(1.0)	(0.5)	(0.6)	(0.2)	(100.0)				
90歳～	24	22	4	10	1	2			3		66	61	127	1.16	2.71
(%)	(36.4)	(33.3)	(6.1)	(15.2)	(1.5)	(3.0)			(4.5)		(100.0)				
合計	2,956	1,041	540	331	224	79	32	15	20	10	5,248	3,521	8,769	0.61	1.57
(%)	(56.3)	(19.8)	(10.3)	(6.3)	(4.3)	(1.5)	(0.6)	(0.3)	(0.4)	(0.2)	(100.0)				
不明															
(%)															
記載なし															
(%)															
総計	2,956	1,041	540	331	224	79	32	15	20	10	5,248	3,521	8,769	0.61	1.57
(%)	(56.3)	(19.8)	(10.3)	(6.3)	(4.3)	(1.5)	(0.6)	(0.3)	(0.4)	(0.2)	(100.0)				
平均	61.20	64.02	64.24	65.56	68.62	65.81	67.16	67.07	73.50	65.10	62.84	62.74	62.80		
標準偏差	14.31	14.20	14.45	15.65	12.82	13.49	13.31	17.43	13.47	13.08	14.47	14.74	14.58		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2015年調査